

产品名称: PP2A-B56- δ Rabbit Polyclonal Antibody
产品货号: APRab16395



产品概述 (Summary)

产品名称 (Production Name)	PP2A-B56- δ Rabbit Polyclonal Antibody
描述 (Description)	Rabbit polyclonal Antibody
宿主 (Host)	Rabbit
应用 (Application)	WB,IHC,ICC/IF,ELISA
种属反应性 (Reactivity)	Human,Mouse,Rat

产品性能 (Performance)

偶联物 (Conjugation)	Unconjugated
修饰 (Modification)	Unmodified
同种型 (Isotype)	IgG
克隆 (Clonality)	Polyclonal
形式 (Form)	Liquid
存放说明 (Storage)	Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.
储存溶液 (Buffer)	Liquid in PBS containing 50% glycerol, 0.5% protective protein and 0.02% New type preservative N.
纯化方式 (Purification)	Affinity purification

免疫原信息 (Immunogen)

基因名 (Gene Name)	PPP2R5D
别名 (Alternative Names)	PPP2R5D; Serine/threonine-protein phosphatase 2A 56 kDa regulatory subunit delta isoform; PP2A B subunit isoform B'-delta; PP2A B subunit isoform B56-delta; PP2A B subunit isoform PR61-delta; PP2A B subunit isoform R5-delta
基因 ID (Gene ID)	5528.0
蛋白 ID (SwissProt ID)	Q14738.The antiserum was produced against synthesized peptide derived from human PPP2R5D. AA range:544-593

产品应用 (Application)

稀释比 (Dilution Ratio)	WB 1:500-1:2000,IHC 1:100-1:300,ICC/IF 1:50-1:200,ELISA 1:5000-1:20000
----------------------	--

产品名称: PP2A-B56- δ Rabbit Polyclonal Antibody
产品货号: APRab16395



蛋白分子量 (Molecular Weight) 70kDa


研究背景 (Background)

The product of this gene belongs to the phosphatase 2A regulatory subunit B family. Protein phosphatase 2A is one of the four major Ser/Thr phosphatases, and it is implicated in the negative control of cell growth and division. It consists of a common heteromeric core enzyme, which is composed of a catalytic subunit and a constant regulatory subunit, that associates with a variety of regulatory subunits. The B regulatory subunit might modulate substrate selectivity and catalytic activity. This gene encodes a delta isoform of the regulatory subunit B56 subfamily. Alternatively spliced transcript variants encoding different isoforms have been identified. [provided by RefSeq, Jul 2008],function:The B regulatory subunit might modulate substrate selectivity and catalytic activity, and also might direct the localization of the catalytic enzyme to a particular subcellular compartment.,induction:By retinoic acid; in neuroblastoma cell lines.,PTM:Phosphorylated upon DNA damage, probably by ATM or ATR.,similarity:Belongs to the phosphatase 2A regulatory subunit B56 family.,subcellular location:Nuclear in interphase, nuclear during mitosis.,subunit:PP2A consists of a common heterodimeric core enzyme, composed of a 36 kDa catalytic subunit (subunit C) and a 65 kDa constant regulatory subunit (PR65 or subunit A), that associates with a variety of regulatory subunits. Proteins that associate with the core dimer include three families of regulatory subunits B (the R2/B/PR55/B55, R3/B''/PR72/PR130/PR59 and R5/B'/B56 families), the 48 kDa variable regulatory subunit, viral proteins, and cell signaling molecules. Interacts with SGOL1.,tissue specificity:Isoform Delta-2 is widely expressed. Isoform Delta-1 is highly expressed in brain.,

研究领域 (Research Area)


Oocyte meiosis;WNT;WNT-T CELL

图片 (Image Data)




Western blot analysis of lysates from Jurkat and HUVEC cells, using PPP2R5D Antibody. The lane on the right is blocked with the synthesized peptide.

产品名称: PP2A-B56- δ Rabbit Polyclonal Antibody
产品货号: APRab16395



Western blot analysis of the lysates from HUVEC cells using PPP2R5D antibody.



Western Blot analysis of 293T cells using PP2A-B56- δ Polyclonal Antibody diluted at 1: 1000

注意事项 (Note)

For research use only .