

产品名称: Smad1/5/9 Rabbit Polyclonal Antibody
产品货号: APRab17987



产品概述 (Summary)

产品名称 (Production Name)	Smad1/5/9 Rabbit Polyclonal Antibody
描述 (Description)	Rabbit polyclonal Antibody
宿主 (Host)	Rabbit
应用 (Application)	WB,IHC,ICC/IF,ELISA
种属反应性 (Reactivity)	Human,Mouse,Rat

产品性能 (Performance)

偶联物 (Conjugation)	Unconjugated
修饰 (Modification)	Unmodified
同种型 (Isotype)	IgG
克隆 (Clonality)	Polyclonal
形式 (Form)	Liquid
存放说明 (Storage)	Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.
储存溶液 (Buffer)	Liquid in PBS containing 50% glycerol, 0.5% protective protein and 0.02% New type preservative N.
纯化方式 (Purification)	Affinity purification

免疫原信息 (Immunogen)

基因名 (Gene Name)	SMAD1/SMAD5/SMAD9 SMAD1; BSP1; MADH1; MADR1; Mothers against decapentaplegic homolog 1; MAD homolog 1; Mothers against DPP homolog 1; JV4-1; Mad-related protein 1; SMAD family member 1; SMAD 1; Smad1; hSMAD1; Transforming growth factor-beta-signaling protein
别名 (Alternative Names)	
基因 ID (Gene ID)	4086/4090/4093
蛋白 ID (SwissProt ID)	Q15797/Q99717/O15198.The antiserum was produced against synthesized peptide derived from human Smad1/5/9. AA range:10-59

产品应用 (Application)

稀释比 (Dilution Ratio)	WB 1:500-1:2000,IHC 1:100-1:300,ICC/IF 1:50-1:200,ELISA 1:5000-1:20000
----------------------	--

产品名称: Smad1/5/9 Rabbit Polyclonal Antibody
产品货号: AP Rab17987



蛋白分子量 (Molecular Weight) 56kDa


研究背景 (Background)

The protein encoded by this gene belongs to the SMAD, a family of proteins similar to the gene products of the *Drosophila* gene *mothers against decapentaplegic* (Mad) and the *C. elegans* gene *Sma*. SMAD proteins are signal transducers and transcriptional modulators that mediate multiple signaling pathways. This protein mediates the signals of the bone morphogenetic proteins (BMPs), which are involved in a range of biological activities including cell growth, apoptosis, morphogenesis, development and immune responses. In response to BMP ligands, this protein can be phosphorylated and activated by the BMP receptor kinase. The phosphorylated form of this protein forms a complex with SMAD4, which is important for its function in the transcription regulation. This protein is a target for SMAD-specific E3 ubiquitin ligases, such as SMURF1 and SMURF2, and undergoes ubiquitination and proteasome-mediated function. Transcriptional modulator activated by BMP (bone morphogenetic proteins) type 1 receptor kinase. SMAD1 is a receptor-regulated SMAD (R-SMAD). PTM: Phosphorylated on serine by BMP type 1 receptor kinase. PTM: Ubiquitin-mediated proteolysis by SMAD-specific E3 ubiquitin ligase SMURF1. Similarity: Belongs to the dwarfin/SMAD family. Similarity: Contains 1 MH1 (MAD homology 1) domain. Similarity: Contains 1 MH2 (MAD homology 2) domain. Subcellular location: Cytoplasmic in the absence of ligand. Migrates to the nucleus when complexed with SMAD4. Subunit: Interacts with HGS, NANOG and ZCCHC12 (By similarity). May form trimers with another SMAD1 and the co-SMAD SMAD4. Interacts with PEBP2- α subunit, CREB-binding protein (CBP), p300, SMURF1, SMURF2 and HOXC8. Associates with ZNF423 or ZNF521 in response to BMP2 leading to activate transcription of BMP target genes. Interacts with LBXCOR1. Tissue specificity: Ubiquitous. Highest expression seen in the heart and skeletal muscle.

研究领域 (Research Area)


TGF- β ;

图片 (Image Data)



Western blot analysis of lysates from HeLa cells, using Smad1/5/9 Antibody. The lane on the right is blocked with the synthesized peptide.

产品名称: Smad1/5/9 Rabbit Polyclonal Antibody
产品货号: APRab17987



Western Blot analysis of various cells using Smad1/5/9 Polyclonal Antibody diluted at 1 : 500

注意事项 (Note)

For research use only .