

产品名称: SMRTe Rabbit Polyclonal Antibody
产品货号: APRab18032



产品概述 (Summary)

产品名称 (Production Name)	SMRTe Rabbit Polyclonal Antibody
描述 (Description)	Rabbit polyclonal Antibody
宿主 (Host)	Rabbit
应用 (Application)	WB,IHC,ICC/IF,ELISA
种属反应性 (Reactivity)	Human,Rat,Mouse

产品性能 (Performance)

偶联物 (Conjugation)	Unconjugated
修饰 (Modification)	Unmodified
同种型 (Isotype)	IgG
克隆 (Clonality)	Polyclonal
形式 (Form)	Liquid
存放说明 (Storage)	Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.
储存溶液 (Buffer)	Liquid in PBS containing 50% glycerol, 0.5% protective protein and 0.02% New type preservative N.
纯化方式 (Purification)	Affinity purification

免疫原信息 (Immunogen)

基因名 (Gene Name)	NCOR2 NCOR2; CTG26; Nuclear receptor corepressor 2; N-CoR2; CTG repeat protein 26; SMAP270; Silencing mediator of retinoic acid and thyroid hormone receptor; SMRT; T3 receptor-associating factor; TRAC; Thyroid-; retinoic-acid-receptor-associated
别名 (Alternative Names)	
基因 ID (Gene ID)	9612.0
蛋白 ID (SwissProt ID)	Q9Y618.The antiserum was produced against synthesized peptide derived from human NCOR2. AA range:511-560

产品应用 (Application)

稀释比 (Dilution Ratio)	WB 1:500-1:2000,IHC 1:100-1:300,ICC/IF 1:200-1:1000,ELISA 1:10000-1:20000
----------------------	---

产品名称: SMRTe Rabbit Polyclonal Antibody
产品货号: APRab18032



蛋白分子量 (Molecular Weight) 270kDa

研究背景 (Background)


This gene encodes a nuclear receptor co-repressor that mediates transcriptional silencing of certain target genes. The encoded protein is a member of a family of thyroid hormone- and retinoic acid receptor-associated co-repressors. This protein acts as part of a multisubunit complex which includes histone deacetylases to modify chromatin structure that prevents basal transcriptional activity of target genes. Aberrant expression of this gene is associated with certain cancers. Alternate splicing results in multiple transcript variants encoding different isoforms.[provided by RefSeq, Apr 2011],domain:The N-terminal region contains repression functions that are divided into three independent repression domains (RD1, RD2 and RD3). The C-terminal region contains the nuclear receptor-interacting domains that are divided in two separate interaction domains (ID1 and ID2),,domain:The two interaction domains (ID) contain a conserved sequence referred to as the CORNR box. This motif is required and sufficient to permit binding to unligated TR and RARS. Sequences flanking the CORNR box determine nuclear hormone receptor specificity,,function:Mediates the transcriptional repression activity of some nuclear receptors by promoting chromatin condensation, thus preventing access of the basal transcription. Isoform 1 and isoform 5 have different affinities for different nuclear receptors,,induction:Regulated during cell cycle progression,,sequence caution:Contaminating sequence. Sequence of unknown origin in the N-terminal part,,sequence caution:Wrong choice of CDS,,similarity:Belongs to the N-CoR nuclear receptor corepressors family,,similarity:Contains 2 SANT domains,,subunit:Interacts with HDAC7 (By similarity). Forms a large corepressor complex that contains SIN3A/B and histone deacetylases HDAC1 and HDAC2. This complex associates with the thyroid (TR) and the retinoid acid receptors (RAR) in the absence of ligand, and may stabilize their interaction with TFIIB. Isoform SRMT interacts with HDAC10. Interacts with MINT. Component of the N-Cor repressor complex, at least composed of NCOR1, NCOR2, HDAC3, TBL1X, TBL1R, CORO2A and GPS2. Interacts with CBFA2T3. Interacts with C1D (By similarity). Interacts with ATXN1L,,tissue specificity:Ubiquitous. High levels of expression are detected in lung, spleen and brain.,

研究领域 (Research Area)


Notch;

图片 (Image Data)

产品名称: SMRTe Rabbit Polyclonal Antibody
产品货号: APRab18032



Immunofluorescence analysis of A549 cells, using NCOR2 Antibody. The picture on the right is blocked with the synthesized peptide.



Immunohistochemistry analysis of paraffin-embedded human brain tissue, using NCOR2 Antibody. The picture on the right is blocked with the synthesized peptide.

注意事项 (Note)

For research use only .