

产品名称: SNAP 23 Rabbit Polyclonal Antibody
产品货号: APRab18043



产品概述 (Summary)

产品名称 (Production Name)	SNAP 23 Rabbit Polyclonal Antibody
描述 (Description)	Rabbit polyclonal Antibody
宿主 (Host)	Rabbit
应用 (Application)	WB,IHC,ICC/IF,ELISA
种属反应性 (Reactivity)	Human,Rat,Mouse

产品性能 (Performance)

偶联物 (Conjugation)	Unconjugated
修饰 (Modification)	Unmodified
同种型 (Isotype)	IgG
克隆 (Clonality)	Polyclonal
形式 (Form)	Liquid
存放说明 (Storage)	Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.
储存溶液 (Buffer)	Liquid in PBS containing 50% glycerol, 0.5% protective protein and 0.02% New type preservative N.
纯化方式 (Purification)	Affinity purification

免疫原信息 (Immunogen)

基因名 (Gene Name)	SNAP-23
别名 (Alternative Names)	SNAP23; Synaptosomal-associated protein 23; SNAP-23; Vesicle-membrane fusion protein SNAP-23
基因 ID (Gene ID)	8773.0
蛋白 ID (SwissProt ID)	O00161.The antiserum was produced against synthesized peptide derived from the C-terminal region of human SNAP23. AA range:151-200

产品应用 (Application)

稀释比 (Dilution Ratio)	WB 1:500-1:2000,IHC 1:100-1:300,ICC/IF 1:50-1:200,ELISA 1:10000-1:20000
蛋白分子量 (Molecular Weight)	25kDa

产品名称: SNAP 23 Rabbit Polyclonal Antibody
产品货号: APRab18043




研究背景 (Background)

Specificity of vesicular transport is regulated, in part, by the interaction of a vesicle-associated membrane protein termed synaptobrevin/VAMP with a target compartment membrane protein termed syntaxin. These proteins, together with SNAP25 (synaptosome-associated protein of 25 kDa), form a complex which serves as a binding site for the general membrane fusion machinery. Synaptobrevin/VAMP and syntaxin are believed to be involved in vesicular transport in most, if not all cells, while SNAP25 is present almost exclusively in the brain, suggesting that a ubiquitously expressed homolog of SNAP25 exists to facilitate transport vesicle/target membrane fusion in other tissues. The protein encoded by this gene is structurally and functionally similar to SNAP25 and binds tightly to multiple syntaxins and synaptobrevins/VAMPs. It is an essential component of the high affinity receptor for the function: Essential component of the high affinity receptor for the general membrane fusion machinery and an important regulator of transport vesicle docking and fusion., similarity: Belongs to the SNAP-25 family., similarity: Contains 2 t-SNARE coiled-coil homology domains., subcellular location: Mainly localized to the plasma membrane., subunit: Binds simultaneously to SNAP25BP and SYN4. Found in a complex with VAMP8 and STX4 in pancreas (By similarity). Binds tightly to multiple syntaxins and synaptobrevins/VAMPs. Found in a complex with VAMP8 and STX1A., tissue specificity: Ubiquitous. Highest levels where found in placenta.,

研究领域 (Research Area)


SNARE interactions in vesicular transport;

图片 (Image Data)




Western blot analysis of lysate from HepG2 cells, using SNAP23 Antibody.


产品名称: SNAP 23 Rabbit Polyclonal Antibody
产品货号: APRab18043




Western Blot analysis of HepG2 cells using SNAP 23 Polyclonal Antibody.. Secondary antibody was diluted at 1:20000



Immunohistochemical analysis of paraffin-embedded human-ovary-cancer, antibody was diluted at 1:100



Immunohistochemical analysis of paraffin-embedded human-ovary-cancer, antibody was diluted at 1:100



产品名称: SNAP 23 Rabbit Polyclonal Antibody
产品货号: APRab18043



Immunohistochemical analysis of paraffin-embedded mouse-brain, antibody was diluted at 1:100

注意事项 (Note)

For research use only .