

产品名称: HDAC8 Rabbit Monoclonal Antibody
产品货号: AMRe02077



产品概述 (Summary)

产品名称 (Production Name)	HDAC8 Rabbit Monoclonal Antibody
描述 (Description)	Recombinant rabbit monoclonal antibody
宿主 (Host)	Rabbit
应用 (Application)	WB,IP
种属反应性 (Reactivity)	Human

产品性能 (Performance)

偶联物 (Conjugation)	Unconjugated
修饰 (Modification)	Unmodified
同种型 (Isotype)	IgG
克隆 (Clonality)	Monoclonal
形式 (Form)	Liquid
存放说明 (Storage)	Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.
储存溶液 (Buffer)	50mM Tris-Glycine(pH 7.4), 0.15M NaCl, 40% Glycerol, 0.01% Sodium azide and 0.05% protective protein
纯化方式 (Purification)	Affinity Purification

免疫原信息 (Immunogen)

基因名 (Gene Name)	HDAC8
别名 (Alternative Names)	HDAC8; HDACL1; CDA07; Histone deacetylase 8; HD8
基因 ID (Gene ID)	55869
蛋白 ID (SwissProt ID)	Q9BY41.

产品应用 (Application)

稀释比 (Dilution Ratio)	WB 1:500-1:1000,IP 1:20-1:50
蛋白分子量 (Molecular Weight)	Calculated MW: 42 kDa; Observed MW: 42 kDa

研究背景 (Background)

Responsible for the deacetylation of lysine residues on the N-terminal part of the core histones (H2A, H2B, H3 and H4).

产品名称: HDAC8 Rabbit Monoclonal Antibody
产品货号: AMRe02077




Histone deacetylation gives a tag for epigenetic repression and plays an important role in transcriptional regulation, cell cycle progression and developmental events. Histone deacetylases act via the formation of large multiprotein complexes. May play a role in smooth muscle cell contractility.

研究领域 (Research Area)

Epigenetics and Nuclear Signaling

图片 (Image Data)



Western blot analysis of HDAC8 in K562 lysates using HDAC8 antibody.

注意事项 (Note)

For research use only .