产品名称: Rab10 Rabbit Monoclonal Antibody

产品货号: AMRe02504



产品概述 (Summary)

产品名称 (**Production Name**) Rab10 Rabbit Monoclonal Antibody

描述 (Description) Recombinant rabbit monoclonal antibody

宿主 (Host) Rabbit

应用 (Application) WB,ICC/IF,IP

种属反应性 (Reactivity) Human, Mouse, Rat

产品性能 (Performance)

偶联物 (Conjugation)Unconjugated修饰 (Modification)Unmodified

同种型 (Isotype) IgG

克隆 (Clonality) Monoclonal 形式 (Form) Liquid

Store at 4°C short term. Aliquot and store at -20°C long term. Avoid 存放说明 (Storage)

freeze/thaw cycles.

50mM Tris-Glycine(pH 7.4), 0.15M NaCl, 40% Glycerol, 0.01% Sodium azide 储存溶液 (Buffer)

and 0.05% protective protein

纯化方式 (Purification) Affinity Purification

免疫原信息 (Immunogen)

基因名 (Gene Name) RAB10 别名 (Alternative Names) RAB10 基因 ID (Gene ID) 10890 蛋白 ID (SwissProt ID) P61026.

产品应用(Application)

稀释比 (Dilution Ratio) WB 1:500-1:1000,ICC/IF 1:50-1:200,IP 1:20-1:50 蛋白分子量 (Molecular Weight) Calculated MW: 23 kDa; Observed MW: 23 kDa

研究背景 (Background)

The small GTPases Rab are key regulators of intracellular membrane trafficking, from the formation of transport vesicles to

Web:https://www.enkilife.cn E-mail:order@enkilife.cn (销售) tech@enkilife.cn (技支持) Tel:027-87002838

产品名称: Rab10 Rabbit Monoclonal Antibody

产品货号: AMRe02504




their fusion with membranes. Rabs cycle between an inactive GDP-bound form and an active GTP-bound form that is able to recruit to membranes different set of downstream effectors directly responsible for vesicle formation, movement, tethering and fusion. That Rab is mainly involved in the biosynthetic transport of proteins from the Golgi to the plasma membrane. Regulates, for instance, SLC2A4/GLUT4 glucose transporter-enriched vesicles delivery to the plasma membrane. In parallel, it regulates the transport of TLR4, a toll-like receptor to the plasma membrane and therefore may be important for innate immune response. Plays also a specific role in asymmetric protein transport to the plasma membrane within the polarized neuron and epithelial cells. In neurons, it is involved in axonogenesis through regulation of vesicular membrane trafficking toward the axonal plasma membrane while in epithelial cells, it regulates transport from the Golgi to the basolateral membrane. Moreover, may play a role in the basolateral recycling pathway and in phagosome maturation. According to PubMed:23263280, may play a role in endoplasmic reticulum dynamics and morphology controlling tubulation along microtubules and tubules fusion.


研究领域 (Research Area)

Signal Transduction

图片 (Image Data)



Immunocytochemistry analysis of Rab10 (green) in A549 using Rab10 antibody, and DAPI(blue).



Western blot analysis of RAB10 in C6, 3T3, Hela lysates using RAB10 antibody.

Web:https://www.enkilife.cn E-mail:order@enkilife.cn (销售) tech@enkilife.cn (技术支持) Tel:027-87002838

产品名称: Rab10 Rabbit Monoclonal Antibody

产品货号: AMRe02504



注意事项 (Note)

For research use only.

Web:https://www.enkilife.cn E-mail:order@enkilife.cn (销售) tech@enkilife.cn (技术支持) Tel:027-87002838