

产品名称: Phospho-Moesin (Thr558) Rabbit Monoclonal Antibody
产品货号: AMRe02862



产品概述 (Summary)

产品名称 (Production Name)	Phospho-Moesin (Thr558) Rabbit Monoclonal Antibody
描述 (Description)	Recombinant rabbit monoclonal antibody
宿主 (Host)	Rabbit
应用 (Application)	WB,IHC
种属反应性 (Reactivity)	Human,Rat

产品性能 (Performance)

偶联物 (Conjugation)	Unconjugated
修饰 (Modification)	Phosphorylated
同种型 (Isotype)	IgG
克隆 (Clonality)	Monoclonal
形式 (Form)	Liquid
存放说明 (Storage)	Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.
储存溶液 (Buffer)	50mM Tris-Glycine(pH 7.4), 0.15M NaCl, 40% Glycerol, 0.01% Sodium azide and 0.05% protective protein
纯化方式 (Purification)	Affinity Purification

免疫原信息 (Immunogen)

基因名 (Gene Name)	MSN
别名 (Alternative Names)	MSN; Moesin; Membrane-organizing extension spike protein; RDX; Radixin; EZR; VIL2; Ezrin; Cytovillin; Villin-2; p81
基因 ID (Gene ID)	4478
蛋白 ID (SwissProt ID)	P26038.

产品应用 (Application)

稀释比 (Dilution Ratio)	WB 1:500-1:1000,IHC 1:50-1:100
蛋白分子量 (Molecular Weight)	Calculated MW: 68 kDa; Observed MW: 68 kDa

产品名称: Phospho-Moesin (Thr558) Rabbit Monoclonal Antibody
产品货号: AMRe02862




研究背景 (Background)

The ezrin, radixin, and moesin (ERM) proteins function as linkers between the plasma membrane and the actin cytoskeleton and are involved in cell adhesion, membrane ruffling, and microvilli formation. ERM proteins undergo intra or intermolecular interaction between their amino- and carboxy-terminal domains, existing as inactive cytosolic monomers or dimers.


研究领域 (Research Area)

Signal Transduction

图片 (Image Data)



Western blot analysis of Moesin (Phospho-Thr558) in HeLa, A549, HL-60, C6 lysates using Phospho-Moesin (Thr558) antibody.



Immunohistochemistry analysis of paraffin-embedded Human lung cancer using Moesin (Phospho-Thr558) antibody. High-pressure and temperature Sodium Citrate pH 6.0 was used for antigen retrieval.

注意事项 (Note)

For research use only .