

产品名称: BMP7 (2E15) Rabbit Monoclonal Antibody

产品货号: AMRe07601

# 产品概述 (Summary)

描述(**Description**) Recombinant rabbit monoclonal antibody

宿主(Host)Rabbit应用(Application)WB,IP种属反应(Reactivity)Human

**偶联物(Conjugation)** Unconjugated **修饰(Modification)** Unmodified

同种型(Isotype) IgG

克隆(Clonality) Monoclonal 剂型(Form) Liquid

保存条件(Storage) Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.

Rabbit IgG in phosphate buffered saline, pH 7.4, 150mM NaCl, 0.02% New type preservative

储存溶液(Buffer) N and 50% glycerol. Store at +4°C short term. Store at -20°C long term. Avoid freeze / thaw

cycle.

纯化 (Purification) Affinity purification

#### 产品应用(Application)

**稀释比(Dilution Ratio)** WB 1:500-1:2000,IP 1:20-1:50

分子量(Molecular Weight) 49kDa

# 抗原信息(Antigen Information)

基因名(Gene Name) BMP7

别名(Alternative Names) Bmp7; Bone morphogenetic protein 7; Eptotermin alfa; OP 1; Osteogenic protein 1;

**基因 ID(Gene ID)** 655.0 **SwissProt ID** P18075

免疫原(Immunogen) Recombinant protein of human BMP7

# 研究背景 (Background)

Induces cartilage and bone formation. May be the osteoinductive factor responsible for the phenomenon of epithelial osteogenesis. Plays a role in calcium regulation and bone homeostasis. Growth factor of the TGF-beta superfamily that plays

Web:https://www.enkilife.cn E-mail:order@enkilife.cn (销售) tech@enkilife.cn (技支持) Tel:027-87002838



important role in various biological processes, including embryogenesis, hematopoiesis, neurogenesis and skeletal morphogenesis (PubMed:31208997). Initiates the canonical BMP signaling cascade by associating with type I receptor ACVR1 and type II receptor ACVR2A (PubMed:9748228, PubMed:12667445). Once all three components are bound together in a complex at the cell surface, ACVR2A phosphorylates and activates ACVR1. In turn, ACVR1 propagates signal by phosphorylating SMAD1/5/8 that travel to the nucleus and act as activators and repressors of transcription of target genes (PubMed:12478285). For specific functions such as growth cone collapse in developing spinal neurons and chemotaxis of monocytes, uses also BMPR2 as type II receptor (PubMed:31208997). Can also signal through non-canonical pathways such as P38 MAP kinase signaling cascade that promotes brown adipocyte differentiation through activation of target genes, including members of the SOX family of transcription factors (PubMed:27923061).


#### 研究领域 (Research Area)

Signal Transduction; Growth Factors/Hormones; TGF; Cytoskeleton / ECM; Extracellular Matrix; Structures Bone; Cell differentiation; Stem Cells; Signaling Pathways; TGF; beta Secreted; Nervous system development; Developmental Biology; Organogenesis; Excretory system development; Kidney development; Lipid metabolism

#### 注意事项 (Note)

For research use only.

# 图片 (Image Data)



Western blot analysis of BMP7 expression in human fetal kidney lysate.

Web:https://www.enkilife.cn E-mail:order@enkilife.cn (销售) tech@enkilife.cn (技术支持) Tel:027-87002838



# EnkiLife 优势产品推荐

产品类别	产品货号	产品名称
WB 解决方案	RA10020	2h 极速 WB 即用型全流程试剂盒
	RA10021	4h 快速 WB 即用型全流程试剂盒
	RA10042	5h 畅享版 WB 全流程试剂盒
	RA10037	校准级彩色预染蛋白 Marker(8-180kDa)
	RA10038	校准级彩色预染蛋白 Marker(10-250kDa)
	RA10039	校准级高分子彩色预染蛋白 Marker(25-400kDa)
TSA 多重荧光染色试剂盒	RA10008	TSA 双标三色多重荧光染色试剂盒 (mIHC)
	RA10009	TSA 三标四色多重荧光染色试剂盒 (mIHC)
	RA10010	TSA 四标五色多重荧光染色试剂盒 (mIHC)
	RA10011	TSA 五标六色多重荧光染色试剂盒 (mIHC)
	RA10012	TSA 六标七色多重荧光染色试剂盒 (mIHC)
IHC 检测试剂盒	RA10006	HRP Anti-Mouse/Rabbit IHC Detection System
	RA10007	Polymer-HRP Anti-Mouse/Rabbit IHC Detection System
抗体标记试剂盒	RE80004p	辣根过氧化物酶(HRP)抗体标记试剂盒
	RE80002q	Sulfo-NHS-生物素标记试剂盒
	RE80007p	Cy3 荧光素标记试剂盒
	RE80011p	Fluor488 荧光素标记试剂盒
	RE80017p	Fluor750 荧光素标记试剂盒
	RE80005p	藻红蛋白(R-PE) 抗体快速标记试剂盒
	RE80040	PE-Cy7 串联染料抗体快速标记试剂盒
稳转细胞系构建服务	TS-0001	过表达稳转细胞系构建
(免费赠送全膜 WB 验证)	TS-0002	敲低稳转细胞系构建
	TS-0003	敲除细胞系构建

限于篇幅,更多产品详见官网:https://www.enkilife.cn

Web:https://www.enkilife.cn E-mail:order@enkilife.cn (销售) tech@enkilife.cn (技术支持) Tel:027-87002838