

产品名称: CD79b (108) Rabbit Monoclonal Antibody
产品货号: AMRe08456



产品概述 (Summary)

产品名称 (Production Name)	CD79b (108) Rabbit Monoclonal Antibody
描述 (Description)	Recombinant rabbit monoclonal antibody
宿主 (Host)	Rabbit
应用 (Application)	WB, ICC/IF, FC
种属反应性 (Reactivity)	Human

产品性能 (Performance)

偶联物 (Conjugation)	Unconjugated
修饰 (Modification)	Unmodified
同种型 (Isotype)	IgG
克隆 (Clonality)	Monoclonal
形式 (Form)	Liquid
存放说明 (Storage)	Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.
储存溶液 (Buffer)	Rabbit IgG in phosphate buffered saline , pH 7.4, 150mM NaCl, 0.02% New type preservative N and 50% glycerol. Store at +4°C short term. Store at -20°C long term. Avoid freeze / thaw cycle.
纯化方式 (Purification)	Affinity purification

免疫原信息 (Immunogen)

基因名 (Gene Name)	CD79B
别名 (Alternative Names)	B29; CD79b; IGB; Igbeta;
基因 ID (Gene ID)	974.0
蛋白 ID (SwissProt ID)	P40259.

产品应用 (Application)

稀释比 (Dilution Ratio)	WB 1:1000-1:5000, ICC/IF 1:200-1:500, FC 1:10-1:100
蛋白分子量 (Molecular Weight)	26kDa

研究背景 (Background)

产品名称: CD79b (108) Rabbit Monoclonal Antibody
产品货号: AMRe08456




Required in cooperation with CD79A for initiation of the signal transduction cascade activated by the B-cell antigen receptor complex (BCR) which leads to internalization of the complex, trafficking to late endosomes and antigen presentation. Required in cooperation with CD79A for initiation of the signal transduction cascade activated by the B-cell antigen receptor complex (BCR) which leads to internalization of the complex, trafficking to late endosomes and antigen presentation. Enhances phosphorylation of CD79A, possibly by recruiting kinases which phosphorylate CD79A or by recruiting proteins which bind to CD79A and protect it from dephosphorylation.

研究领域 (Research Area)

Immunology

图片 (Image Data)



Western blot analysis of CD79b expression in Ramos cell lysate.

注意事项 (Note)

For research use only .