

**产品名称:** DARC (18A13) Rabbit Monoclonal Antibody

**产品货号:** AMRe09791

### 产品概述 (Summary)

|                   |                                                                                                                                                                                       |
|-------------------|---------------------------------------------------------------------------------------------------------------------------------------------------------------------------------------|
| 描述(Description)   | Recombinant rabbit monoclonal antibody                                                                                                                                                |
| 宿主(Host)          | Rabbit                                                                                                                                                                                |
| 应用(Application)   | WB,IHC,IP                                                                                                                                                                             |
| 种属反应(Reactivity)  | Human                                                                                                                                                                                 |
| 偶联物(Conjugation)  | Unconjugated                                                                                                                                                                          |
| 修饰(Modification)  | Unmodified                                                                                                                                                                            |
| 同种型(Isotype)      | IgG                                                                                                                                                                                   |
| 克隆(Clonality)     | Monoclonal                                                                                                                                                                            |
| 剂型(Form)          | Liquid                                                                                                                                                                                |
| 保存条件(Storage)     | Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.<br>Rabbit IgG in phosphate buffered saline , pH 7.4, 150mM NaCl, 0.02% New type preservative |
| 储存溶液(Buffer)      | N and 50% glycerol. Store at +4°C short term. Store at -20°C long term. Avoid freeze / thaw cycle.                                                                                    |
| 纯化 (Purification) | Affinity purification                                                                                                                                                                 |

### 产品应用(Application)

|                       |                                                |
|-----------------------|------------------------------------------------|
| 稀释比(Dilution Ratio)   | WB 1:1000-1:5000,IHC 1:200-1:500,IP 1:10-1:100 |
| 分子量(Molecular Weight) | 36kDa                                          |

### 抗原信息(Antigen Information)

|                       |                                                |
|-----------------------|------------------------------------------------|
| 基因名(Gene Name)        | ACKR1                                          |
| 别名(Alternative Names) | CCBP1; CD234; DARC; Dfy; FY; GPD; GpFy; WBCQ1; |
| 基因 ID(Gene ID)        | 2532.0                                         |
| SwissProt ID          | Q16570                                         |
| 免疫原(Immunogen)        | A synthetic peptide of human DARC              |

### 研究背景 (Background)

Non-specific receptor for many chemokines such as IL-8, GRO, RANTES, MCP-1 and TARC. It is also the receptor for the human malaria parasites Plasmodium vivax and Plasmodium knowlesi. Atypical chemokine receptor that controls chemokine levels


and localization via high-affinity chemokine binding that is uncoupled from classic ligand-driven signal transduction cascades, resulting instead in chemokine sequestration, degradation, or transcytosis. Also known as interceptor (internalizing receptor) or chemokine-scavenging receptor or chemokine decoy receptor. Has a promiscuous chemokine- binding profile, interacting with inflammatory chemokines of both the CXC and the CC subfamilies but not with homeostatic chemokines. Acts as a receptor for chemokines including CCL2, CCL5, CCL7, CCL11, CCL13, CCL14, CCL17, CXCL5, CXCL6, IL8/CXCL8, CXCL11, GRO, RANTES, MCP-1, TARC and also for the malaria parasites *P.vivax* and *P.knowlesi*. May regulate chemokine bioavailability and, consequently, leukocyte recruitment through two distinct mechanisms: when expressed in endothelial cells, it sustains the abluminal to luminal transcytosis of tissue-derived chemokines and their subsequent presentation to circulating leukocytes; when expressed in erythrocytes, serves as blood reservoir of cognate chemokines but also as a chemokine sink, buffering potential surges in plasma chemokine levels.

### 研究领域 (Research Area)

### 注意事项 (Note)

For research use only.

### 图片 (Image Data)



Western blot analysis of DARC expression in Human fetal liver lysate.

## EnkiLife 优势产品推荐

| 产品类别                        | 产品货号     | 产品名称                                               |
|-----------------------------|----------|----------------------------------------------------|
| WB 解决方案                     | RA10020  | 2h 极速 WB 即用型全流程试剂盒                                 |
|                             | RA10021  | 4h 快速 WB 即用型全流程试剂盒                                 |
|                             | RA10042  | 5h 畅享版 WB 全流程试剂盒                                   |
|                             | RA10037  | 校准级彩色预染蛋白 Marker (8-180kDa)                        |
|                             | RA10038  | 校准级彩色预染蛋白 Marker (10-250kDa)                       |
|                             | RA10039  | 校准级高分子彩色预染蛋白 Marker (25-400kDa)                    |
| TSA 多重荧光染色试剂盒               | RA10008  | TSA 双标三色多重荧光染色试剂盒 (mIHC)                           |
|                             | RA10009  | TSA 三标四色多重荧光染色试剂盒 (mIHC)                           |
|                             | RA10010  | TSA 四标五色多重荧光染色试剂盒 (mIHC)                           |
|                             | RA10011  | TSA 五标六色多重荧光染色试剂盒 (mIHC)                           |
|                             | RA10012  | TSA 六标七色多重荧光染色试剂盒 (mIHC)                           |
| IHC 检测试剂盒                   | RA10006  | HRP Anti-Mouse/Rabbit IHC Detection System         |
|                             | RA10007  | Polymer-HRP Anti-Mouse/Rabbit IHC Detection System |
| 抗体标记试剂盒                     | RE80004p | 辣根过氧化物酶(HRP)抗体标记试剂盒                                |
|                             | RE80002q | Sulfo-NHS-生物素标记试剂盒                                 |
|                             | RE80007p | Cy3 荧光素标记试剂盒                                       |
|                             | RE80011p | Fluor488 荧光素标记试剂盒                                  |
|                             | RE80017p | Fluor750 荧光素标记试剂盒                                  |
|                             | RE80005p | 藻红蛋白(R-PE) 抗体快速标记试剂盒                               |
|                             | RE80040  | PE-Cy7 串联染料抗体快速标记试剂盒                               |
| 稳转细胞系构建服务<br>(免费赠送全膜 WB 验证) | TS-0001  | 过表达稳转细胞系构建                                         |
|                             | TS-0002  | 敲低稳转细胞系构建                                          |
|                             | TS-0003  | 敲除细胞系构建                                            |

限于篇幅，更多产品详见官网：<https://www.enkilife.cn>