

产品名称: ERK5 (1Z9) Rabbit Monoclonal Antibody

产品货号: AMRe10604

产品概述 (Summary)

描述(**Description**) Recombinant rabbit monoclonal antibody

宿主(Host) Rabbit

应用(Application)WB,ICC/IF,FC,IP种属反应(Reactivity)Human,Mouse,Rat偶联物(Conjugation)Unconjugated修饰(Modification)Unmodified

同种型(Isotype) IgG

克隆(Clonality) Monoclonal 剂型(Form) Liquid

保存条件(Storage) Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.

Rabbit IgG in phosphate buffered saline, pH 7.4, 150mM NaCl, 0.02% New type preservative

储存溶液(Buffer) N and 50% glycerol. Store at +4°C short term. Store at -20°C long term. Avoid freeze / thaw

cycle.

纯化 (Purification) Affinity purification

产品应用(Application)

稀释比(Dilution Ratio) WB 1:1000-1:5000,ICC/IF 1:100-1:200,FC 1:20-1:50,IP 1:20-1:50

分子量(Molecular Weight) 88kDa

抗原信息(Antigen Information)

基因名(Gene Name) MAPK7

Big MAP kinase 1; BMK 1; BMK 1 kinase; BMK-1; BMK1; BMK1 Kinase; ERK 4; ERK 5; ERK-5; **别名(Alternative Names)**

ERK4; ERK5; MAP kinase 7; MAPK 7; Mitogen Activated Protein Kinase;

基因 ID(Gene ID) 5598.0 **SwissProt ID** Q13164

免疫原(Immunogen) A synthetic peptide of human ERK5

研究背景 (Background)

Erk5 (Mitogen-activated protein kinase 7, Big mitogen-activated protein kinase 1) is a member of the MAPK superfamily

Web:https://www.enkilife.cn E-mail:order@enkilife.cn (销售) tech@enkilife.cn (技支持) Tel:027-87002838




implicated in the regulation numerous cellular processes including proliferation, differentiation, and survival. In neuronal cells, Erk5 is required for NGF-induced neurite outgrowth, neuronal homeostasis, and survival. Erk5 is thought to play a role in blood vessel integrity via maintenance of endothelial cell migration and barrier function. Plays a role in various cellular processes such as proliferation, differentiation and cell survival. The upstream activator of MAPK7 is the MAPK kinase MAP2K5. Upon activation, it translocates to the nucleus and phosphorylates various downstream targets including MEF2C. EGF activates MAPK7 through a Ras-independent and MAP2K5-dependent pathway. May have a role in muscle cell differentiation. May be important for endothelial function and maintenance of blood vessel integrity. MAP2K5 and MAPK7 interact specifically with one another and not with MEK1/ERK1 or MEK2/ERK2 pathways. Phosphorylates SGK1 at Ser-78 and this is required for growth factor-induced cell cycle progression. Involved in the regulation of p53/TP53 by disrupting the PML-MDM2 interaction.

研究领域 (Research Area)

注意事项 (Note)

For research use only.

图片 (Image Data)



Western blot analysis of ERK5 expression in Hela cell lysate.

Web:https://www.enkilife.cn E-mail:order@enkilife.cn (销售) tech@enkilife.cn (技术支持) Tel:027-87002838



EnkiLife 优势产品推荐

| 产品类别 | 产品货号 | 产品名称 |
|----------------|----------|--|
| WB 解决方案 | RA10020 | 2h 极速 WB 即用型全流程试剂盒 |
| | RA10021 | 4h 快速 WB 即用型全流程试剂盒 |
| | RA10042 | 5h 畅享版 WB 全流程试剂盒 |
| | RA10037 | 校准级彩色预染蛋白 Marker(8-180kDa) |
| | RA10038 | 校准级彩色预染蛋白 Marker(10-250kDa) |
| | RA10039 | 校准级高分子彩色预染蛋白 Marker(25-400kDa) |
| TSA 多重荧光染色试剂盒 | RA10008 | TSA 双标三色多重荧光染色试剂盒 (mIHC) |
| | RA10009 | TSA 三标四色多重荧光染色试剂盒 (mIHC) |
| | RA10010 | TSA 四标五色多重荧光染色试剂盒 (mIHC) |
| | RA10011 | TSA 五标六色多重荧光染色试剂盒 (mIHC) |
| | RA10012 | TSA 六标七色多重荧光染色试剂盒 (mIHC) |
| IHC 检测试剂盒 | RA10006 | HRP Anti-Mouse/Rabbit IHC Detection System |
| | RA10007 | Polymer-HRP Anti-Mouse/Rabbit IHC Detection System |
| 抗体标记试剂盒 | RE80004p | 辣根过氧化物酶(HRP)抗体标记试剂盒 |
| | RE80002q | Sulfo-NHS-生物素标记试剂盒 |
| | RE80007p | Cy3 荧光素标记试剂盒 |
| | RE80011p | Fluor488 荧光素标记试剂盒 |
| | RE80017p | Fluor750 荧光素标记试剂盒 |
| | RE80005p | 藻红蛋白(R-PE) 抗体快速标记试剂盒 |
| | RE80040 | PE-Cy7 串联染料抗体快速标记试剂盒 |
| 稳转细胞系构建服务 | TS-0001 | 过表达稳转细胞系构建 |
| (免费赠送全膜 WB 验证) | TS-0002 | 敲低稳转细胞系构建 |
| | TS-0003 | 敲除细胞系构建 |

限于篇幅,更多产品详见官网:https://www.enkilife.cn

Web:https://www.enkilife.cn E-mail:order@enkilife.cn (销售) tech@enkilife.cn (技术支持) Tel:027-87002838