

**产品名称:** Hexokinase 1 (16D2) Rabbit Monoclonal Antibody

**产品货号:** AMRe12002

### 产品概述 (Summary)

|                   |                                                                                                                             |
|-------------------|-----------------------------------------------------------------------------------------------------------------------------|
| 描述(Description)   | Recombinant rabbit monoclonal antibody                                                                                      |
| 宿主(Host)          | Rabbit                                                                                                                      |
| 应用(Application)   | WB,IHC,ICC/IF,FC,IF-P                                                                                                       |
| 种属反应(Reactivity)  | Human,Mouse,Rat                                                                                                             |
| 偶联物(Conjugation)  | Unconjugated                                                                                                                |
| 修饰(Modification)  | Unmodified                                                                                                                  |
| 同种型(Isotype)      | IgG                                                                                                                         |
| 克隆(Clonality)     | Monoclonal                                                                                                                  |
| 剂型(Form)          | Liquid                                                                                                                      |
| 保存条件(Storage)     | Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.                                    |
| 储存溶液(Buffer)      | Supplied in 50mM Tris-Glycine(pH 7.4), 0.15M NaCl, 40%Glycerol, 0.01% New type preservative N and 0.05% protective protein. |
| 纯化 (Purification) | Affinity purification                                                                                                       |

### 产品应用(Application)

|                       |                                                                               |
|-----------------------|-------------------------------------------------------------------------------|
| 稀释比(Dilution Ratio)   | WB 1:1000-1:5000,IHC 1:20-1:100,ICC/IF 1:20-1:50,FC 1:20-1:100,IF-P 1:20-1:50 |
| 分子量(Molecular Weight) | 103kDa                                                                        |

### 抗原信息(Antigen Information)

|                       |                                                   |
|-----------------------|---------------------------------------------------|
| 基因名(Gene Name)        | HK1                                               |
| 别名(Alternative Names) | HK1;HK1-ta;HK1-tb;HK1-tc;HK1;H XK1; Hexokinase 1; |
| 基因 ID(Gene ID)        | 3098.0                                            |
| SwissProt ID          | P19367                                            |
| 免疫原(Immunogen)        | A synthetic peptide of human Hexokinase 1         |

### 研究背景 (Background)

Hexokinases I, II, and III are associated with the outer mitochondrial membrane and are critical for maintaining an elevated rate of aerobic glycolysis in cancer cells (Warburg Effect) in order to compensate for the increased energy demands associated with rapid cell growth and proliferation. Catalyzes the phosphorylation of various hexoses, such as D- glucose, D- glucosamine, D-

fructose, D-mannose and 2-deoxy-D-glucose, to hexose 6-phosphate (D-glucose 6-phosphate, D-glucosamine 6-phosphate, D-fructose 6-phosphate, D-mannose 6-phosphate and 2-deoxy-D-glucose 6-phosphate, respectively) (PubMed:1637300, PubMed:25316723, PubMed:27374331). Does not phosphorylate N-acetyl-D-glucosamine (PubMed:27374331). Mediates the initial step of glycolysis by catalyzing phosphorylation of D-glucose to D-glucose 6-phosphate (By similarity). Involved in innate immunity and inflammation by acting as a pattern recognition receptor for bacterial peptidoglycan (PubMed:27374331). When released in the cytosol, N-acetyl-D-glucosamine component of bacterial peptidoglycan inhibits the hexokinase activity of HK1 and causes its dissociation from mitochondrial outer membrane, thereby activating the NLRP3 inflammasome (PubMed:27374331).


### 研究领域 (Research Area)

Cardiovascular

### 注意事项 (Note)

For research use only.

### 图片 (Image Data)



Western blot detection of Hexokinase 1 in K562,Rat Brain,3T3 cell lysates using Hexokinase 1 antibody(1:1000 diluted).

## EnkiLife 优势产品推荐

| 产品类别                        | 产品货号     | 产品名称                                               |
|-----------------------------|----------|----------------------------------------------------|
| WB 解决方案                     | RA10020  | 2h 极速 WB 即用型全流程试剂盒                                 |
|                             | RA10021  | 4h 快速 WB 即用型全流程试剂盒                                 |
|                             | RA10042  | 5h 畅享版 WB 全流程试剂盒                                   |
|                             | RA10037  | 校准级彩色预染蛋白 Marker (8-180kDa)                        |
|                             | RA10038  | 校准级彩色预染蛋白 Marker (10-250kDa)                       |
|                             | RA10039  | 校准级高分子彩色预染蛋白 Marker (25-400kDa)                    |
| TSA 多重荧光染色试剂盒               | RA10008  | TSA 双标三色多重荧光染色试剂盒 (mIHC)                           |
|                             | RA10009  | TSA 三标四色多重荧光染色试剂盒 (mIHC)                           |
|                             | RA10010  | TSA 四标五色多重荧光染色试剂盒 (mIHC)                           |
|                             | RA10011  | TSA 五标六色多重荧光染色试剂盒 (mIHC)                           |
|                             | RA10012  | TSA 六标七色多重荧光染色试剂盒 (mIHC)                           |
| IHC 检测试剂盒                   | RA10006  | HRP Anti-Mouse/Rabbit IHC Detection System         |
|                             | RA10007  | Polymer-HRP Anti-Mouse/Rabbit IHC Detection System |
| 抗体标记试剂盒                     | RE80004p | 辣根过氧化物酶(HRP)抗体标记试剂盒                                |
|                             | RE80002q | Sulfo-NHS-生物素标记试剂盒                                 |
|                             | RE80007p | Cy3 荧光素标记试剂盒                                       |
|                             | RE80011p | Fluor488 荧光素标记试剂盒                                  |
|                             | RE80017p | Fluor750 荧光素标记试剂盒                                  |
|                             | RE80005p | 藻红蛋白(R-PE) 抗体快速标记试剂盒                               |
|                             | RE80040  | PE-Cy7 串联染料抗体快速标记试剂盒                               |
| 稳转细胞系构建服务<br>(免费赠送全膜 WB 验证) | TS-0001  | 过表达稳转细胞系构建                                         |
|                             | TS-0002  | 敲低稳转细胞系构建                                          |
|                             | TS-0003  | 敲除细胞系构建                                            |

限于篇幅，更多产品详见官网：<https://www.enkilife.cn>