

产品货号: AMRe13025



#### 产品概述 (Summary)

产品名称 (Production Name) Kir2.1 (17H9) Rabbit Monoclonal Antibody

描述 (**Description**) Recombinant rabbit monoclonal antibody

宿主 (Host) Rabbit

**应用 (Application)** WB,IHC,ICC/IF

种属反应性 (Reactivity) Human, Mouse, Rat

### 产品性能 (Performance)

偶联物 (Conjugation)Unconjugated修饰 (Modification)Unmodified

同种型 (Isotype) IgG

克隆 (Clonality) Monoclonal 形式 (Form) Liquid

Store at 4°C short term. Aliquot and store at -20°C long term. Avoid 存放说明 (Storage)

freeze/thaw cycles.

Rabbit IgG in phosphate buffered saline, pH 7.4, 150mM NaCl, 0.02% New

储存溶液 (Buffer) type preservative N and 50% glycerol. Store at +4°C short term. Store at -

20°C long term. Avoid freeze / thaw cycle.

纯化方式 (Purification) Affinity purification

## 免疫原信息 (Immunogen)

基因名 (Gene Name) KCNJ2

别名 (Alternative Names) KCNJ2; ATFB9; HHBIRK1; IRK1; KIR2.1; LQT7; HIRK1; IRK-1; HHIRK1; SQT3;

**基因 ID (Gene ID)** 3759.0 **蛋白 ID (SwissProt ID)** P63252.

# 产品应用 (Application)

**稀释比 (Dilution Ratio)** WB 1:1000-1:5000,IHC 1:200-1:500,ICC/IF 1:100-1:200

蛋白分子量 (Molecular Weight) 48kDa

## 研究背景 (Background)

Web:https://www.enkilife.cn E-mail:order@enkilife.cn (销售) tech@enkilife.cn (技支持) Tel:027-87002838

# 产品名称: Kir2.1 (17H9) Rabbit Monoclonal Antibody


产品货号: AMRe13025



Probably participates in establishing action potential waveform and excitability of neuronal and muscle tissues. Inward rectifier potassium channels are characterized by a greater tendency to allow potassium to flow into the cell rather than out of it. Probably participates in establishing action potential waveform and excitability of neuronal and muscle tissues. Inward rectifier potassium channels are characterized by a greater tendency to allow potassium to flow into the cell rather than out of it. Their voltage dependence is regulated by the concentration of extracellular potassium; as external potassium is raised, the voltage range of the channel opening shifts to more positive voltages. The inward rectification is mainly due to the blockage of outward current by internal magnesium. Can be blocked by extracellular barium or cesium.

#### 研究领域 (Research Area)

#### 图片 (Image Data)



Western blot analysis of Kir2.1 expression in A549 cell lysate.

#### 注意事项 (Note)

For research use only .

Web:https://www.enkilife.cn E-mail:order@enkilife.cn (销售) tech@enkilife.cn (技术支持) Tel:027-87002838