

产品货号: AMRe13317



#### 产品概述 (Summary)

产品名称 (Production Name) Lin28B (12W5) Rabbit Monoclonal Antibody

描述 (Description) Recombinant rabbit monoclonal antibody

宿主 (Host) Rabbit

**应用 (Application)** WB,ICC/IF,FC,IP

种属反应性 (Reactivity) Human

#### 产品性能 (Performance)

偶联物 (Conjugation) Unconjugated 修饰 (Modification) Unmodified

同种型 (Isotype) IgG

克隆 (Clonality) Monoclonal 形式 (Form) Liquid

Store at 4°C short term. Aliquot and store at -20°C long term. Avoid 存放说明 (Storage)

freeze/thaw cycles.

Rabbit IgG in phosphate buffered saline, pH 7.4, 150mM NaCl, 0.02% New

储存溶液 (Buffer) type preservative N and 50% glycerol. Store at +4°C short term. Store at -

20°C long term. Avoid freeze / thaw cycle.

纯化方式 (Purification) Affinity purification

## 免疫原信息 (Immunogen)

基因名 (Gene Name) LIN28B

别名 (Alternative Names) CSDD2; FLJ16517; LIN28B; Protein lin-28 homolog B;

**基因 ID (Gene ID)** 389421.0 **蛋白 ID (SwissProt ID)** Q6ZN17.

# 产品应用 (Application)

**稀释比 (Dilution Ratio)** WB 1:500-1:2000,ICC/IF 1:100-1:200,FC 1:20-1:50,IP 1:20-1:50

蛋白分子量 (Molecular Weight) 27kDa

#### 研究背景 (Background)

Web:https://www.enkilife.cn E-mail:order@enkilife.cn (销售) tech@enkilife.cn (技支持) Tel:027-87002838

# 产品名称: Lin28B (12W5) Rabbit Monoclonal Antibody

产品货号: AMRe13317




It has recently been shown that upregulation of LIN28A and LIN28B in primary human tumors and human cancer cell lines is correlated with downregulation of let-7 miRNAs. LIN28 genes are reported to be involved in primordial germ cell development and germ cell malignancy. In addition, allelic variation in LIN28B is associated with regulating the timing of puberty in humans. Suppressor of microRNA (miRNA) biogenesis, including that of let-7 and possibly of miR107, miR-143 and miR-200c. Binds primary let-7 transcripts (pri-let-7), including pri-let-7g and pri-let-7a-1, and sequester them in the nucleolus, away from the microprocessor complex, hence preventing their processing into mature miRNA (PubMed:<a href="http://www.uniprot.org/citations/22118463" target="\_blank">22118463</a>/a>). Does not act on pri-miR21 (PubMed:<a href="http://www.uniprot.org/citations/22118463" target="\_blank">22118463</a>/a>). The repression of let-7 expression is required for normal development and contributes to maintain the pluripotent state of embryonic stem cells by preventing let-7-mediated differentiation. When overexpressed, recruits ZCCHC11/TUT4 uridylyltransferase to pre-let-7 transcripts, leading to their terminal uridylation and degradation (PubMed:<a href="http://www.uniprot.org/citations/19703396" target="\_blank">19703396</a>/a>). This activity might not be relevant in

href="http://www.uniprot.org/citations/19703396" target="\_blank">19703396</a>). This activity might not be relevant in vivo, as LIN28B-mediated inhibition of let-7 miRNA maturation appears to be ZCCHC11-independent (PubMed:<a href="http://www.uniprot.org/citations/22118463" target="\_blank">22118463</a>). Interaction with target pre-miRNAs occurs via an 5'- GGAG-3' motif in the pre-miRNA terminal loop. Mediates MYC-induced let- 7 repression (By similarity). When overexpressed, isoform 1 stimulates growth of the breast adenocarcinoma cell line MCF-7. Isoform 2 has no effect on cell growth.

## 研究领域(Research Area)

## 图片 (Image Data)



Western blot analysis of Lin28B expression in K562 cell lysate.

# 注意事项 (Note)

For research use only.

Web:https://www.enkilife.cn E-mail:order@enkilife.cn (销售) tech@enkilife.cn (技术支持) Tel:027-87002838