

产品名称: TLR9 (4E13) Rabbit Monoclonal Antibody
产品货号: AMRe18992



产品概述 (Summary)

产品名称 (Production Name)	TLR9 (4E13) Rabbit Monoclonal Antibody
描述 (Description)	Recombinant rabbit monoclonal antibody
宿主 (Host)	Rabbit
应用 (Application)	WB,IP
种属反应性 (Reactivity)	Human

产品性能 (Performance)

偶联物 (Conjugation)	Unconjugated
修饰 (Modification)	Unmodified
同种型 (Isotype)	IgG
克隆 (Clonality)	Monoclonal
形式 (Form)	Liquid
存放说明 (Storage)	Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.
储存溶液 (Buffer)	Rabbit IgG in phosphate buffered saline , pH 7.4, 150mM NaCl, 0.02% New type preservative N and 50% glycerol. Store at +4°C short term. Store at -20°C long term. Avoid freeze / thaw cycle.
纯化方式 (Purification)	Affinity purification

免疫原信息 (Immunogen)

基因名 (Gene Name)	TLR9
别名 (Alternative Names)	CD289; TLR9; Toll like receptor 9; Toll like receptor 9 isoform A precursor; Toll like receptor 9 isoform B;
基因 ID (Gene ID)	54106.0
蛋白 ID (SwissProt ID)	Q9NR96.

产品应用 (Application)

稀释比 (Dilution Ratio)	WB 1:500-1:2000,IP 1:20-1:50
蛋白分子量 (Molecular Weight)	116kDa

产品名称: TLR9 (4E13) Rabbit Monoclonal Antibody
产品货号: AMRe18992




研究背景 (Background)

Key component of innate and adaptive immunity. TLRs (Toll-like receptors) control host immune response against pathogens through recognition of molecular patterns specific of microorganisms. TLR9 is a nucleotide-sensing TLR which is activated by unmethylated cytidine-phosphate-guanosine (CpG) dinucleotides. Acts via MYD88 and TRAF6, leading to NF-kappa-B activation, cytokine secretion and the inflammatory response. Key component of innate and adaptive immunity. TLRs (Toll- like receptors) control host immune response against pathogens through recognition of molecular patterns specific to microorganisms. TLR9 is a nucleotide-sensing TLR which is activated by unmethylated cytidine- phosphate-guanosine (CpG) dinucleotides. Acts via MYD88 and TRAF6, leading to NF-kappa-B activation, cytokine secretion and the inflammatory response (PubMed: 11564765, PubMed: 17932028). Controls lymphocyte response to Helicobacter infection (By similarity). Upon CpG stimulation, induces B-cell proliferation, activation, survival and antibody production (PubMed: 23857366).

研究领域 (Research Area)

图片 (Image Data)



Western blot analysis of TLR9 expression in Raji cell lysate.

注意事项 (Note)

For research use only .