

产品名称: TRAF2 (15T4) Rabbit Monoclonal Antibody
产品货号: AMRe19183



产品概述 (Summary)

产品名称 (Production Name)	TRAF2 (15T4) Rabbit Monoclonal Antibody
描述 (Description)	Recombinant rabbit monoclonal antibody
宿主 (Host)	Rabbit
应用 (Application)	WB,IHC,ICC/IF,FC,IP
种属反应性 (Reactivity)	Human,Mouse,Rat

产品性能 (Performance)

偶联物 (Conjugation)	Unconjugated
修饰 (Modification)	Unmodified
同种型 (Isotype)	IgG
克隆 (Clonality)	Monoclonal
形式 (Form)	Liquid
存放说明 (Storage)	Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.
储存溶液 (Buffer)	Rabbit IgG in phosphate buffered saline , pH 7.4, 150mM NaCl, 0.02% New type preservative N and 50% glycerol. Store at +4°C short term. Store at -20°C long term. Avoid freeze / thaw cycle.
纯化方式 (Purification)	Affinity purification

免疫原信息 (Immunogen)

基因名 (Gene Name)	TRAF2
别名 (Alternative Names)	TNF receptor associated factor 2; TRAF2; TRAP; TRAP3;
基因 ID (Gene ID)	7186.0
蛋白 ID (SwissProt ID)	Q12933.

产品应用 (Application)

稀释比 (Dilution Ratio)	WB 1:500-1:2000,IHC 1:100-1:200,ICC/IF 1:100-1:200,FC 1:50-1:200,IP 1:20-1:50
蛋白分子量 (Molecular Weight)	56kDa

产品名称: TRAF2 (15T4) Rabbit Monoclonal Antibody
产品货号: AMRe19183




研究背景 (Background)

Regulates activation of NF-kappa-B and JNK and plays a central role in the regulation of cell survival and apoptosis. Regulates activation of NF-kappa-B and JNK and plays a central role in the regulation of cell survival and apoptosis. Required for normal antibody isotype switching from IgM to IgG. Has E3 ubiquitin-protein ligase activity and promotes 'Lys-63'-linked ubiquitination of target proteins, such as BIRC3, RIPK1 and TICAM1. Is an essential constituent of several E3 ubiquitin-protein ligase complexes, where it promotes the ubiquitination of target proteins by bringing them into contact with other E3 ubiquitin ligases. Regulates BIRC2 and BIRC3 protein levels by inhibiting their autoubiquitination and subsequent degradation; this does not depend on the TRAF2 RING-type zinc finger domain. Plays a role in mediating activation of NF-kappa-B by EIF2AK2/PKR. In complex with BIRC2 or BIRC3, promotes ubiquitination of IKBKE.

研究领域 (Research Area)

Apoptosis, MAPK signaling pathway

图片 (Image Data)



Western blot analysis of TRAF2 expression in Raji cell lysate.

注意事项 (Note)

For research use only .