产品名称: Histone H3 (Mono Methyl Lys4) Rabbit

Monoclonal Antibody 产品货号: AMRe21105



产品概述 (Summary)

产品名称 (Production Name) Histone H3 (Mono Methyl Lys4) Rabbit Monoclonal Antibody

描述 (**Description**) Recombinant rabbit monoclonal antibody

宿主 (Host) Rabbit

应用 (Application)WB,IHC,ICC/IF,ELISA,IP种属反应性 (Reactivity)Human,Mouse,Rat

产品性能 (Performance)

(場構物 (Conjugation) Methyl 修饰 (Modification) Methylated 同种型 (Isotype) IgG,Kappa 克隆 (Clonality) Monoclonal 形式 (Form) Liquid

Store at 4°C short term. Aliquot and store at -20°C long term. Avoid 存放说明 (Storage)

freeze/thaw cycles.

储存溶液 (Buffer) PBS, 50% glycerol, 0.05% Proclin 300, 0.05% protective protein

纯化方式 (Purification) Protein A

免疫原信息 (Immunogen)

别名 (Alternative Names)

基因名 (Gene Name) HIST1H3A

H3K27ME2;HIST1H3A;H3FA;HIST1H3B;H3FL;HIST1H3C;H3FC;HIST1H3D;H3FB; HIST1H3E;H3FD;HIST1H3F;H3FI;HIST1H3G;H3FH;HIST1H3H;H3FK;HIST1H3I;H

3FF;HIST1H3J;H3FJ;Histone H3.1;Histone H3/a;Histone H3/b;Histone

H3/c;Histone H3/d;Histone H3/f;Histone H3/h;Histone

H3/j;Histone H3/k;Histone

H3/l;HIST2H3A;HIST2H3C;H3F2;H3FM;HIST2H3D;Histone H3.2;Histone

H3/m;Histone H3/o;H3F3A;H3.3A;H3F3;PP781;H3F3B;H3.3B;Histone

H3.3;H3F3C;Histone H3.3C;Histone H3.5

基因 ID (Gene ID) 8350.0 蛋白 ID (SwissProt ID) P68431.

Web:https://www.enkilife.cn E-mail:order@enkilife.cn (销售) tech@enkilife.cn (技支持) Tel:027-87002838

产品名称: Histone H3 (Mono Methyl Lys4) Rabbit

Monoclonal Antibody 产品货号: AMRe21105



产品应用 (Application)

稀释比 (Dilution Ratio)

WB 1:2000-1:10000,IHC 1:5000-1:20000,ICC/IF 1:200-1:1000,ELISA 1:5000-

1:20000,IP 1:50-1:200


蛋白分子量 (Molecular Weight) Calculated MW:15kD;Observed MW:15kD

研究背景 (Background)

Cell localization:Nucleus. Chromosome..Histones are basic nuclear proteins that are responsible for the nucleosome structure of the chromosomal fiber in eukaryotes. This structure consists of approximately 146 bp of DNA wrapped around a nucleosome, an octamer composed of pairs of each of the four core histones (H2A, H2B, H3, and H4). The chromatin fiber is further compacted through the interaction of a linker histone, H1, with the DNA between the nucleosomes to form higher order chromatin structures. This gene is intronless and encodes a replication-dependent histone that is a member of the histone H3 family. Transcripts from this gene lack polyA tails; instead, they contain a palindromic termination element. This gene is found in the large histone gene cluster on chromosome 6p22-p21.3. [provided by RefSeq, Aug 2015],

研究领域(Research Area)

图片 (Image Data)



NIH-3T3 cell lysates were separated by 4-20% SDS-PAGE, and the membrane was blotted with primary antibody 1:1000. The HRP-conjugated Goat anti-Rabbit IgG(H + L) antibody was used to detect the antibody.

注意事项 (Note)

For research use only.

Web:https://www.enkilife.cn E-mail:order@enkilife.cn (销售) tech@enkilife.cn (技术支持) Tel:027-87002838