

产品名称: APE1 Rabbit Monoclonal Antibody
产品货号: AMRe85294



产品概述 (Summary)

产品名称 (Production Name)	APE1 Rabbit Monoclonal Antibody
描述 (Description)	Recombinant rabbit monoclonal antibody
宿主 (Host)	Rabbit
应用 (Application)	WB,IHC,ICC
种属反应性 (Reactivity)	Human,Mouse,Rat

产品性能 (Performance)

偶联物 (Conjugation)	Unconjugated
修饰 (Modification)	Unmodified
同种型 (Isotype)	IgG
克隆 (Clonality)	Monoclonal
形式 (Form)	Liquid
存放说明 (Storage)	Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.
储存溶液 (Buffer)	Purified antibody in TBS with 0.05% sodium azide,0.05%protective protein and 50% glycerol.
纯化方式 (Purification)	Affinity Purification

免疫原信息 (Immunogen)

基因名 (Gene Name)	APE1 APEX1; APE; APE1; APEX; APX; HAP1; REF1; DNA-(apurinic or apyrimidinic site)
别名 (Alternative Names)	lyase; APEX nuclease; APEN; Apurinic-apyrimidinic endonuclease 1; AP endonuclease 1; APE-1; REF-1; Redox factor-1
基因 ID (Gene ID)	328.0
蛋白 ID (SwissProt ID)	P27695.Recombinant protein of human APE1

产品应用 (Application)

稀释比 (Dilution Ratio)	WB 1:500-1:1000,IHC 1:50-1:100,ICC 1:50-1:200
蛋白分子量 (Molecular Weight)	Calculated MW: 36 kDa; Observed MW: 36 kDa

产品名称: APE1 Rabbit Monoclonal Antibody
产品货号: AMRe85294




研究背景 (Background)


Ape1 initiates the repair of abasic sites and is essential for the base excision repair (BER) pathway. Repair activities of Ape1 are stimulated by interaction with XRCC1, another essential protein in BER. Ape1 functions as a redox factor that maintains transcription factors in an active, reduced state but can also function in a redox-independent manner as a transcriptional cofactor to control different cellular fates such as apoptosis, proliferation and differentiation.

研究领域 (Research Area)

图片 (Image Data)




Western blot analysis of APE1 in K562, C6, 3T3, HeLa lysates using APE1 antibody.



Immunocytochemistry analysis of APE1(green) in HeLa using APE1 antibody, and DAPI(blue)

产品名称: APE1 Rabbit Monoclonal Antibody
产品货号: AMRe85294



Immunohistochemistry analysis of paraffin-embedded Human tonsil using APE1 antibody. High-pressure and temperature Sodium Citrate pH 6.0 was used for antigen retrieval.

注意事项 (Note)

For research use only .