

产品名称: GNA13 Rabbit Monoclonal Antibody
产品货号: AMRe85591



产品概述 (Summary)

产品名称 (Production Name)	GNA13 Rabbit Monoclonal Antibody
描述 (Description)	Recombinant rabbit monoclonal antibody
宿主 (Host)	Rabbit
应用 (Application)	WB,IHC
种属反应性 (Reactivity)	Human

产品性能 (Performance)

偶联物 (Conjugation)	Unconjugated
修饰 (Modification)	Unmodified
同种型 (Isotype)	IgG
克隆 (Clonality)	Monoclonal
形式 (Form)	Liquid
存放说明 (Storage)	Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.
储存溶液 (Buffer)	Purified antibody in TBS with 0.05% sodium azide, 0.05% protective protein and 50% glycerol.
纯化方式 (Purification)	Affinity Purification

免疫原信息 (Immunogen)

基因名 (Gene Name)	GNA13
别名 (Alternative Names)	guanine nucleotide binding protein (G protein); alpha 13; G13
基因 ID (Gene ID)	10672.0
蛋白 ID (SwissProt ID)	Q14344.A synthetic peptide of human G protein alpha 13

产品应用 (Application)

稀释比 (Dilution Ratio)	WB 1:500-1:1000, IHC 1:50-1:100
蛋白分子量 (Molecular Weight)	Calculated MW: 44 kDa; Observed MW: 44 kDa

研究背景 (Background)

Guanine nucleotide-binding proteins (G proteins) are involved as modulators or transducers in various transmembrane


产品名称: GNA13 Rabbit Monoclonal Antibody
产品货号: AMRe85591




signaling systems (PubMed:15240885, PubMed:16787920, PubMed:16705036, PubMed:27084452). Activates effector molecule RhoA by binding and activating RhoGEFs (ARHGEF1/p115RhoGEF, ARHGEF11/PDZ-RhoGEF and ARHGEF12/LARG) (PubMed:15240885, PubMed:12515866). GNA13-dependent Rho signaling subsequently regulates transcription factor AP-1 (activating protein-1) . Promotes tumor cell invasion and metastasis by activating RhoA/ROCK signaling pathway (PubMed:16787920, PubMed:16705036, PubMed:27084452). Inhibits CDH1-mediated cell adhesion in process independent from Rho activation (PubMed:11976333).

研究领域 (Research Area)

图片 (Image Data)



Western blot analysis of GNA13 [KO Validated] in HeLa, Jurkat lysates using GNA13 antibody.



Immunohistochemistry analysis of paraffin-embedded Human Cholangiocarcinoma using G protein alpha 13 antibody. High-pressure and temperature Sodium Citrate pH 6.0 was used for antigen retrieval.

注意事项 (Note)

For research use only .