

产品名称: HDAC11 Rabbit Monoclonal Antibody
产品货号: AMRe85641



产品概述 (Summary)

产品名称 (Production Name)	HDAC11 Rabbit Monoclonal Antibody
描述 (Description)	Recombinant rabbit monoclonal antibody
宿主 (Host)	Rabbit
应用 (Application)	WB,IP
种属反应性 (Reactivity)	Human

产品性能 (Performance)

偶联物 (Conjugation)	Unconjugated
修饰 (Modification)	Unmodified
同种型 (Isotype)	IgG
克隆 (Clonality)	Monoclonal
形式 (Form)	Liquid
存放说明 (Storage)	Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.
储存溶液 (Buffer)	Purified antibody in TBS with 0.05% sodium azide, 0.05% protective protein and 50% glycerol.
纯化方式 (Purification)	Affinity Purification

免疫原信息 (Immunogen)

基因名 (Gene Name)	HDAC11
别名 (Alternative Names)	HDAC11; HD11; Histone deacetylase 11
基因 ID (Gene ID)	79885.0
蛋白 ID (SwissProt ID)	Q96DB2.A synthetic peptide of human HDAC11

产品应用 (Application)

稀释比 (Dilution Ratio)	WB 1:500-1:1000, IP 1:10-1:20
蛋白分子量 (Molecular Weight)	Calculated MW: 39 kDa; Observed MW: 39 kDa

研究背景 (Background)

play an important role in the modification of chromatin structure and thus in the suppression and activation of


产品名称: HDAC11 Rabbit Monoclonal Antibody
产品货号: AMRe85641



transcription and cellular differentiation. There are 11 members in the HDAC family that are classified into four classes. Class I HDACs represent homologs of the yeast histone deacetylase RPD3, class II HDACs share strong homology with the yeast histone deacetylase HDA1, class III HDAC are closely related to the yeast SIR2 protein, and class IV HDACs comprises Histone deacetylase 11 (HDAC11)-related enzymes. HDAC11 contains 347 amino acid residues.

研究领域 (Research Area)

图片 (Image Data)



Western blot analysis of HDAC11/HD11 in T47D, MCF-7 lysates using HDAC11 antibody.

注意事项 (Note)

For research use only .