

产品名称: NDUFB9 Rabbit Monoclonal Antibody
产品货号: AMRe85839



产品概述 (Summary)

产品名称 (Production Name)	NDUFB9 Rabbit Monoclonal Antibody
描述 (Description)	Recombinant rabbit monoclonal antibody
宿主 (Host)	Rabbit
应用 (Application)	WB,IHC,ICC,IP
种属反应性 (Reactivity)	Human,Mouse,Rat

产品性能 (Performance)

偶联物 (Conjugation)	Unconjugated
修饰 (Modification)	Unmodified
同种型 (Isotype)	IgG
克隆 (Clonality)	Monoclonal
形式 (Form)	Liquid
存放说明 (Storage)	Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.
储存溶液 (Buffer)	Purified antibody in TBS with 0.05% sodium azide,0.05%protective protein and 50% glycerol.
纯化方式 (Purification)	Affinity Purification

免疫原信息 (Immunogen)

基因名 (Gene Name)	NDUFB9 NDUFB9; LYRM3; UQOR22; NADH dehydrogenase [ubiquinone] 1 beta subcomplex subunit 9; Complex I-B22; CI-B22; LYR motif-containing protein 3; NADH-ubiquinone oxidoreductase B22 subunit
别名 (Alternative Names)	
基因 ID (Gene ID)	4715.0
蛋白 ID (SwissProt ID)	Q9Y6M9.Recombinant protein of human NDUFB9

产品应用 (Application)

稀释比 (Dilution Ratio)	WB 1:500-1:1000,IHC 1:50-1:100,ICC 1:50-1:200,IP 1:10-1:20
蛋白分子量 (Molecular Weight)	Calculated MW: 22 kDa; Observed MW: 22 kDa

产品名称: NDUFB9 Rabbit Monoclonal Antibody
产品货号: AMRe85839




研究背景 (Background)


Accessory subunit of the mitochondrial membrane respiratory chain NADH dehydrogenase (Complex I), that is believed to be not involved in catalysis. Complex I functions in the transfer of electrons from NADH to the respiratory chain. The immediate electron acceptor for the enzyme is believed to be ubiquinone.

研究领域 (Research Area)


图片 (Image Data)



Western blot analysis of NDUFB9 in mouse kidney lysates using NDUFB9 antibody.




Western blot analysis of NDUFB9 in rat Brain lysates using NDUFB9 antibody.



产品名称: NDUF9 Rabbit Monoclonal Antibody
产品货号: AMRe85839



Immunocytochemistry analysis of NDUF9(green) in Hela using NDUF9 antibody, and DAPI(blue)



Immunohistochemistry analysis of paraffin-embedded Human colon cancer using NDUF9 antibody. High-pressure and temperature Sodium Citrate pH 6.0 was used for antigen retrieval.

注意事项 (Note)

For research use only .