产品名称: ATF-4 Rabbit Monoclonal Antibody

产品货号: AMRe86381



产品概述 (Summary)

产品名称 (Production Name) ATF-4 Rabbit Monoclonal Antibody

描述 (**Description**) Recombinant rabbit monoclonal antibody

宿主 (Host) Rabbit

应用 (Application) WB,IHC,ICC/IF,FC,IP

种属反应性 (Reactivity) Human

产品性能 (Performance)

偶联物 (Conjugation)Unconjugated修饰 (Modification)Unmodified

同种型 (Isotype) IgG

克隆 (Clonality) Monoclonal 形式 (Form) Liquid

Store at 4°C short term. Aliquot and store at -20°C long term. Avoid 存放说明 (Storage)

freeze/thaw cycles.

Supplied in 50mM Tris-Glycine(pH 7.4), 0.15M NaCl, 40% Glycerol, 0.01%

储存溶液 (Buffer) sodium azide and 0.05% protective protein. Stable for 12 months from date

of receipt.

纯化方式 (Purification) Affinity Purification

免疫原信息 (Immunogen)

基因名 (Gene Name) ATF-4

别名 (Alternative Names) CREB2; TXREB; CREB-2; TAXREB67

基因 ID (Gene ID) 468 蛋白 ID (SwissProt ID) P18848.

产品应用 (Application)

WB 1:500-1:2000,IHC 1:50-1:100,ICC/IF 1:200-1:1000,FC 1:50-1:100,IP 1:50-

稀释比 (Dilution Ratio)
1:100

蛋白分子量 (Molecular Weight) Calculated MW:39 kDa; Observed MW:49 kDa

Web:https://www.enkilife.cn E-mail:order@enkilife.cn (销售) tech@enkilife.cn (技支持) Tel:027-87002838

产品名称: ATF-4 Rabbit Monoclonal Antibody

产品货号: AMRe86381




研究背景 (Background)

This gene encodes a transcription factor that was originally identified as a widely expressed mammalian DNA binding protein that could bind a tax-responsive enhancer element in the LTR of HTLV-1. The encoded protein was also isolated and characterized as the cAMP-response element binding protein 2 (CREB-2). The protein encoded by this gene belongs to a family of DNA-binding proteins that includes the AP-1 family of transcription factors, cAMP-response element binding proteins (CREBs) and CREB-like proteins. These transcription factors share a leucine zipper region that is involved in protein-protein interactions, located C-terminal to a stretch of basic amino acids that functions as a DNA binding domain. Two alternative transcripts encoding the same protein have been described. Two pseudogenes are located on the X chromosome at q28 in a region containing a large inverted duplication. [provided by RefSeq, Sep 2011]

研究领域 (Research Area)

图片 (Image Data)



Immunofluorescence analysis of HeLa cells labelling ATF-4 with AMRe86381.

注意事项 (Note)

For research use only.

Web:https://www.enkilife.cn E-mail:order@enkilife.cn (销售) tech@enkilife.cn (技术支持) Tel:027-87002838