产品名称: STAT5a Rabbit Monoclonal Antibody

产品货号: AMRe86440



产品概述 (Summary)

产品名称(Production Name) STAT5a Rabbit Monoclonal Antibody 描述(Description) Recombinant rabbit monoclonal antibody

宿主 (Host) Rabbit

应用 (Application)WB,IHC,ICC/IF,FC,IP种属反应性 (Reactivity)Human,Mouse,Rat

产品性能 (Performance)

偶联物 (Conjugation)Unconjugated修饰 (Modification)Unmodified

同种型 (Isotype) IgG

克隆 (Clonality) Monoclonal 形式 (Form) Liquid

Store at 4°C short term. Aliquot and store at -20°C long term. Avoid 存放说明 (Storage)

freeze/thaw cycles.

Supplied in 50mM Tris-Glycine(pH 7.4), 0.15M NaCl, 40% Glycerol, 0.01%

储存溶液 (Buffer) sodium azide and 0.05% protective protein. Stable for 12 months from date

of receipt.

纯化方式 (Purification) Affinity Purification

免疫原信息 (Immunogen)

基因名 (Gene Name) STAT5a

別名 (Alternative Names) MGF; STAT5

基因 ID (Gene ID) 6776 **蛋白 ID (SwissProt ID)** P42229.

产品应用(Application)

WB 1:500-1:2000,IHC 1:200-1:1000,ICC/IF 1:100-1:500,FC 1:50-1:200,IP 1:20-

稀释比 (Dilution Ratio)

1:50

蛋白分子量 (Molecular Weight) Calculated MW:91 kDa; Observed MW:91 kDa

Web:https://www.enkilife.cn E-mail:order@enkilife.cn (销售) tech@enkilife.cn (技支持) Tel:027-87002838

产品名称: STAT5a Rabbit Monoclonal Antibody

产品货号: AMRe86440




研究背景 (Background)

The protein encoded by this gene is a member of the STAT family of transcription factors. In response to cytokines and growth factors, STAT family members are phosphorylated by the receptor associated kinases, and then form homo- or heterodimers that translocate to the cell nucleus where they act as transcription activators. This protein is activated by, and mediates the responses of many cell ligands, such as IL2, IL3, IL7 GM-CSF, erythropoietin, thrombopoietin, and different growth hormones. Activation of this protein in myeloma and lymphoma associated with a TEL/JAK2 gene fusion is independent of cell stimulus and has been shown to be essential for tumorigenesis. The mouse counterpart of this gene is found to induce the expression of BCL2L1/BCL-X(L), which suggests the antiapoptotic function of this gene in cells. Alternatively spliced transcript variants have been found for this gene. [provided by RefSeq, Dec 2013]

研究领域 (Research Area)

图片 (Image Data)



Western blot analysis of extracts from K562 cells using AMRe86440 at 1:50000.

注意事项 (Note)

For research use only.

Web:https://www.enkilife.cn E-mail:order@enkilife.cn (销售) tech@enkilife.cn (技术支持) Tel:027-87002838