

产品名称: Arg2 Rabbit Monoclonal Antibody
产品货号: AMRe86797



产品概述 (Summary)

产品名称 (Production Name)	Arg2 Rabbit Monoclonal Antibody
描述 (Description)	Recombinant rabbit monoclonal antibody
宿主 (Host)	Rabbit
应用 (Application)	WB, ICC/IF, FC
种属反应性 (Reactivity)	Human

产品性能 (Performance)

偶联物 (Conjugation)	Unconjugated
修饰 (Modification)	Unmodified
同种型 (Isotype)	IgG
克隆 (Clonality)	Monoclonal
形式 (Form)	Liquid
存放说明 (Storage)	Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.
储存溶液 (Buffer)	Supplied in 50mM Tris-Glycine(pH 7.4), 0.15M NaCl, 40% Glycerol, 0.01% sodium azide and 0.05% protective protein. Stable for 12 months from date of receipt.
纯化方式 (Purification)	Affinity Purification

免疫原信息 (Immunogen)

基因名 (Gene Name)	Arg2
别名 (Alternative Names)	Arginase II; Kidney-type arginase; Non-hepatic arginase; Type II arginase
基因 ID (Gene ID)	384
蛋白 ID (SwissProt ID)	P78540.

产品应用 (Application)

稀释比 (Dilution Ratio)	WB 1:1000-1:5000, ICC/IF 1:200-1:500, FC 1:50-1:100
蛋白分子量 (Molecular Weight)	Calculated MW:39 kDa; Observed MW:39 kDa

研究背景 (Background)


产品名称: Arg2 Rabbit Monoclonal Antibody
产品货号: AMRe86797



Arginase catalyzes the hydrolysis of arginine to ornithine and urea. At least two isoforms of mammalian arginase exists (types I and II) which differ in their tissue distribution, subcellular localization, immunologic crossreactivity and physiologic function. The type II isoform encoded by this gene, is located in the mitochondria and expressed in extra-hepatic tissues, especially kidney. The physiologic role of this isoform is poorly understood; it is thought to play a role in nitric oxide and polyamine metabolism. Transcript variants of the type II gene resulting from the use of alternative polyadenylation sites have been described. [provided by RefSeq, Jul 2008]

研究领域 (Research Area)

图片 (Image Data)



Western blot analysis of extracts from Jurkat cells using AMRe86797 at 1:1000.

注意事项 (Note)

For research use only .