

**产品名称: Phospho-Smad2 (Thr8)/Smad3 (Thr8) Rabbit
Monoclonal Antibody**
产品货号: AMRe87735



产品概述 (Summary)

产品名称 (Production Name)	Phospho-Smad2 (Thr8)/Smad3 (Thr8) Rabbit Monoclonal Antibody
描述 (Description)	Recombinant rabbit monoclonal antibody
宿主 (Host)	Rabbit
应用 (Application)	WB, ICC/IF, IP
种属反应性 (Reactivity)	Human, Mouse, Rat

产品性能 (Performance)

偶联物 (Conjugation)	Unconjugated
修饰 (Modification)	Phosphorylated
同种型 (Isotype)	IgG
克隆 (Clonality)	Monoclonal
形式 (Form)	Liquid
存放说明 (Storage)	Store at 4°C short term. Aliquot and store at -20°C long term. Avoid freeze/thaw cycles.
储存溶液 (Buffer)	Supplied in 50mM Tris-Glycine(pH 7.4), 0.15M NaCl, 40% Glycerol, 0.01% sodium azide and 0.05% protective protein. Stable for 12 months from date of receipt.
纯化方式 (Purification)	Affinity Purification

免疫原信息 (Immunogen)

基因名 (Gene Name)	Phospho-Smad2/Smad3
别名 (Alternative Names)	JV18; MADH2; MADR2; JV18-1; hMAD-2; hSMAD2
基因 ID (Gene ID)	4087, 4088
蛋白 ID (SwissProt ID)	Q15796, P84022.

产品应用 (Application)

稀释比 (Dilution Ratio)	WB 1:500-1:2000, ICC/IF 1:20-1:50, IP 1:20-1:50
蛋白分子量 (Molecular Weight)	Calculated MW:52,48 kDa; Observed MW:58,62 kDa

**产品名称: Phospho-Smad2 (Thr8)/Smad3 (Thr8) Rabbit
Monoclonal Antibody**
产品货号: AMRe87735




研究背景 (Background)

The protein encoded by this gene belongs to the SMAD, a family of proteins similar to the gene products of the *Drosophila* gene 'mothers against decapentaplegic' (Mad) and the *C. elegans* gene Sma. SMAD proteins are signal transducers and transcriptional modulators that mediate multiple signaling pathways. This protein mediates the signal of the transforming growth factor (TGF)-beta, and thus regulates multiple cellular processes, such as cell proliferation, apoptosis, and differentiation. This protein is recruited to the TGF-beta receptors through its interaction with the SMAD anchor for receptor activation (SARA) protein. In response to TGF-beta signal, this protein is phosphorylated by the TGF-beta receptors. The phosphorylation induces the dissociation of this protein with SARA and the association with the family member SMAD4. The association with SMAD4 is important for the translocation of this protein into the nucleus, where it binds to target promoters and forms a transcription repressor complex with other cofactors. This protein can also be phosphorylated by activin type 1 receptor kinase, and mediates the signal from the activin. Alternatively spliced transcript variants have been observed for this gene. [provided by RefSeq, May 2012]

研究领域 (Research Area)

图片 (Image Data)



Western blot analysis of extracts from Rat heart, Mouse kidney tissue using AMRe87735 at 1:1000.

注意事项 (Note)

For research use only .