

产品名称: Biotin-conjugated Polyclonal Donkey Anti-Chicken IgY(IgG)(H+L)
preadsorbed
产品货号: APS0377

Note:Centrifuge before opening to ensure complete recovery of vial contents

产品概述

产品名称 (Production Name)	Biotin-conjugated Polyclonal Donkey Anti-Chicken IgY(IgG)(H+L) preadsorbed
克隆 (Clonality)	Polyclonal Whole IgG
宿主 (Host)	Donkey
反应种属 (Reactivity)	Chicken
应用 (Application)	ELISA,WB,IHC,FC
形态 (Form)	Liquid
浓度 (Concentration)	0.5mg/mL
特异性 (Specificity)	IgY(IgG)(H+L) Minimal Cross Reactivity:Bovine, Goat, Guinea Pig, Syrian Hamster, Horse, Human, Mouse, Rabbit, Rat, Sheep Serum Proteins
缓冲液 (Buffer)	50% Glycerol,0.01M PBS,0.5%BSA,0.05%PC300,pH7.4
偶联 (Conjugation)	Biotin
最大激发光 (Ex-max)	none
最大发射光 (Em-max)	none
纯化 (Purification)	Affinity purification
纯度 (Purity)	Calculated as antibodies, no less than 90%.
储存方法 (Storage)	Please store at -20°C away from light.Stable for one year after shipment.

使用建议

IHC 1:100-200(DAB substrates)

WB 1:300-10000(ECL substrates)

WB 1:200-400(DAB substrates)

Direct ELISA 1:5000-20000(TMB substrates)

FC/IF-IHC 1:200-1:1000 .This data is a recommended range, please refer to the actual value according to the specific situation. The optimal dilution ratio is influenced by various factors, such as antigen concentration and permeability. The actual dilution ratio to be used must be determined through experiments.

注意事项

Avoid freeze / thaw cycles even if this product is very stable. If using a small amount each time, please appropriately divide this antibody into small packages and use one tube each time. This antibody is only for research use, not for diagnosis.