
Recombinant Human HVEM (C-6His)

Catalog#:PHH0814

概述（Summary）


别称（Alternative Names）	Tumor Necrosis Factor Receptor Superfamily Member 14; Herpes Virus Entry Mediator A; Herpesvirus Entry Mediator A; HveA; Tumor Necrosis Factor Receptor-Like 2; TR2; CD270; TNFRSF14; HVEA; HVEM
纯度（Purity）	Greater than 95% as determined by reducing SDS-PAGE
内毒素（Endotoxin level）	<1 EU/μg as determined by LAL test.
蛋白构建（Construction）	【Leu39-Val202】-6His
Accession #	Q92956
表达宿主（Host）	HEK293
种属（Species）	Human
预测分子量（Predicted MW）	18.38 kDa
制剂（Form）	Lyophilized from a 0.2 μm filtered solution of PBS, pH 7.4.
运输方式（Shipping）	The product is shipped with ice bag. Upon receipt, store it immediately at the temperature listed below.
稳定性&储存（Stability &Storage）	12 months at -20°C to -80°C in lyophilized state.6 months at -20°C to -80°C under sterile conditions after reconstitution.7-10 days at 2°C to 8°C under sterile conditions after reconstitution.Please minimize freeze-thaw cycles.
复溶（Reconstitution）	Always centrifuge tubes before opening. Do not mix by vortex or pipetting. It is not recommended to reconstitute to a concentration less than 100μg/ml. Dissolve the lyophilized protein in distilled water. Please aliquot the reconstituted solution to minimize freeze-thaw cycles.

电泳图（SDS-PAGE image）



Greater than 95% as determined by reducing SDS-PAGE.

活性图（Bioactivity image）



Recombinant Human B- and T-Lymphocyte Attenuator/BTLA/CD272 (C-Fc)(ng/ml)

Immobilized Recombinant Human HVEM (C-6His) at 5μg/ml (100 μl/well) can bind Recombinant Human B- and T-Lymphocyte Attenuator/BTLA/CD272 (C-Fc).The ED50 of Recombinant Human B- and T-Lymphocyte Attenuator/BTLA/CD272 (C-Fc) is 0.126 ug/ml(Regularly tested).

注意事项（Note）

For Research Use Only , Not for Diagnostic Use.