
Recombinant Human IL-6RA (C-Fc)

Catalog#:PHH2285

概述（Summary）


别称（Alternative Names）	Interleukin-6 receptor subunit alpha; IL-6R subunit alpha; IL-6R-alpha; IL-6R 1; Membrane glycoprotein 80; gp80; CD126
纯度（Purity）	Greater than 95% as determined by reducing SDS-PAGE
内毒素（Endotoxin level）	<1 EU/μg as determined by LAL test.
蛋白构建（Construction）	【Leu20-Pro365】-Fc
Accession #	P08887
表达宿主（Host）	HEK293
种属（Species）	Human
预测分子量（Predicted MW）	65.4 kDa
制剂（Form）	Lyophilized from a 0.2 μm filtered solution of PBS, pH7.4.
运输方式（Shipping）	The product is shipped with ice bag. Upon receipt, store it immediately at the temperature listed below.
稳定性&储存（Stability &Storage）	12 months at -20°C to -80°C in lyophilized state.6 months at -20°C to -80°C under sterile conditions after reconstitution.7-10 days at 2°C to 8°C under sterile conditions after reconstitution.Please minimize freeze-thaw cycles.
复溶（Reconstitution）	Always centrifuge tubes before opening. Do not mix by vortex or pipetting. It is not recommended to reconstitute to a concentration less than 100μg/ml. Dissolve the lyophilized protein in distilled water. Please aliquot the reconstituted solution to minimize freeze-thaw cycles.

电泳图（SDS-PAGE image）




Greater than 95% as determined by reducing SDS-PAGE.

活性图（Bioactivity image）



Immobilized Anti-Human IL6R Antibody (SAR_bio, Research Grade) at 1μg/ml (100 μl/well) can bind Recombinant Human IL -6RA (C-Fc)*. *: Biotinylated by NHS-biotin prior to testing.The ED50 of Recombinant Human IL -6RA (C-Fc) is 1.78 ng/ml.(Regularly tested)



Loaded Recombinant Rhesus Macaque IL-6 (C-6His) on HIS1K Biosensor, can bind Recombinant Human IL-6RA (C-Fc) with an affinity constant of 21.6 nM as determined in BLI assay. (Regularly tested)

注意事项（Note）

For Research Use Only , Not for Diagnostic Use.