
Recombinant Human FAP (N-8His)

Catalog#:PHH2371

概述（Summary）


别称（Alternative Names）	FAP; FAPA; DPPIV; SIMP; Fapalpha
纯度（Purity）	Greater than 95% as determined by reducing SDS-PAGE
内毒素（Endotoxin level）	<1 EU/μg as determined by LAL test.
蛋白构建（Construction）	8His-【Leu26-Asp760】
Accession #	Q12884
表达宿主（Host）	HEK293
种属（Species）	Human
预测分子量（Predicted MW）	86.1 kDa
制剂（Form）	Lyophilized From a 0.2 μm filtered solution of 20mM Tris-HCl, 150mM NaCl, 20% Glycerol, pH 8.0.
运输方式（Shipping）	The product is shipped with ice bag. Upon receipt, store it immediately at the temperature listed below.
稳定性&储存（Stability &Storage）	12 months at -20°C to -80°C in lyophilized state.6 months at -20°C to -80°C under sterile conditions after reconstitution.7-10 days at 2°C to 8°C under sterile conditions after reconstitution.Please minimize freeze-thaw cycles.

电泳图（SDS-PAGE image）




Greater than 95% as determined by reducing SDS-PAGE.

活性图（Bioactivity image）



Immobilized Recombinant Human FAP (N-8His) at 2μg/ml (100 μl/well) can bind Anti-Human FAP mAb. The ED50 of Anti-Human FAP mAb is 2.13 ng/ml. (Regularly tested).



Loaded Anti-Human FAP mAb on Pro-A Biosensor, can bind Recombinant Human FAP with an affinity constant of 0.116 nM as determined in BLI assay. (Regularly tested)

注意事项（Note）

For Research Use Only , Not for Diagnostic Use.