
Recombinant Human TL1A (N-mFc)

Catalog#:PHH2464

概述（Summary）


别称（Alternative Names）	Tumor Necrosis Factor Ligand Superfamily Member 15; TNF Ligand-Related Molecule 1; Vascular Endothelial Cell Growth Inhibitor; TNFSF15; TL1; VEGI
纯度（Purity）	Greater than 95% as determined by reducing SDS-PAGE
内毒素（Endotoxin level）	<1 EU/μg as determined by LAL test.
蛋白构建（Construction）	mFc-【Leu72-Leu251】
Accession #	O95150
表达宿主（Host）	HEK293
种属（Species）	Human
预测分子量（Predicted MW）	46.5 kDa
制剂（Form）	Lyophilized from a 0.2 μm filtered solution of PBS, pH7.4.
运输方式（Shipping）	The product is shipped with ice bag. Upon receipt, store it immediately at the temperature listed below.
稳定性&储存（Stability &Storage）	12 months at -20°C to -80°C in lyophilized state.6 months at -20°C to -80°C under sterile conditions after reconstitution.7-10 days at 2°C to 8°C under sterile conditions after reconstitution.Please minimize freeze-thaw cycles.
复溶（Reconstitution）	Always centrifuge tubes before opening. Do not mix by vortex or pipetting. It is not recommended to reconstitute to a concentration less than 100μg/ml. Dissolve the lyophilized protein in distilled water. Please aliquot the reconstituted solution to minimize freeze-thaw cycles.

电泳图（SDS-PAGE image）



Greater than 95% as determined by reducing SDS-PAGE. (QC verified)

活性图（Bioactivity image）



Immobilized Recombinant Human TL1A (N-mFc) at 2μg/ml (100 μl/well) can bind Human TL1A Antibody (9H5). The ED50 of Human TL1A Antibody (9H5) is 3.52 ng/ml. (Regularly tested)

注意事项（Note）

For Research Use Only , Not for Diagnostic Use.