
# Recombinant Mouse PD-L1 (C-Fc)

*Catalog#:PHM1297*

## 概述（Summary）

| | |
|---|---|
| **别称（Alternative Names）** | Programmed cell death 1 ligand 1Cd274; programmed cell death 1 ligand 1; PD-L1; PDCD1 ligand 1; programmed death ligand 1; B7 homolog 1; B7-H1; CD274 |
| **纯度（Purity）** | Greater than 95% as determined by reducing SDS-PAGE |
| **内毒素（Endotoxin level）** | <1 EU/μg as determined by LAL test. |
| **蛋白构建（Construction）** | 【Phe19-Thr238】-Fc |
| **Accession #** | Q9EP73 |
| **表达宿主（Host）** | HEK293 |
| **种属（Species）** | Mouse |
| **预测分子量（Predicted MW）** | 51.9 kDa |
| **制剂（Form）** | Lyophilized from a 0.2 μm filtered solution of 20mM PB, 150mM NaCl, pH7.4. |
| **运输方式（Shipping）** | The product is shipped with ice bag. Upon receipt, store it immediately at the temperature listed below. |
| **稳定性&储存（Stability &Storage）** | 12 months at -20°C to -80°C in lyophilized state.6 months at -20°C to -80°C under sterile conditions after reconstitution.7-10 days at 2°C to 8°C under sterile conditions after reconstitution.Please minimize freeze-thaw cycles. |
| **复溶（Reconstitution）** | Always centrifuge tubes before opening. Do not mix by vortex or pipetting. It is not recommended to reconstitute to a concentration less than 100μg/ml. Dissolve the lyophilized protein in distilled water. Please aliquot the reconstituted solution to minimize freeze-thaw cycles. |

## 活性图（Bioactivity image）




Immobilized Mouse PD-L1-Fc at 2μg/ml (100 μl/well) can bind Anti-Human PDL1 mAb-Fc.The ED50 of Anti-Human PDL1 mAb-Fc is 9.72 ng/ml.

## 注意事项（Note）

For Research Use Only , Not for Diagnostic Use.