

产品名称: GMP Recombinant Human TGF- β 2
产品货号: PCH90041




概述 (Summary)


英文全称	TGF- β 2
纯度 (Purity)	Greater than 95% as determined by reducing SDS-PAGE
内毒素 (Endotoxin level)	≤ 10 EU/mg
蛋白构建 (Construction)	Recombinant Human TGF- β 2 is produced by our Mammalian cell expression system and the target gene encoding Ala 303-Ser 414 is expressed.
Accession #	P61812
蛋白标签 (Tag)	Tag free
表达宿主 (Host)	Mammalian cell
种属 (Species)	Human
预测分子量 (Predicted MW)	12.7 kDa
蛋白形态 (Form)	Lyophilized
储存缓冲液 (Buffer)	0.085% TFA, 30% ACN, 5% mannitol, pH 2.5
运输方式 (Shipping)	The product is shipped at ambient temperature. Upon receipt, store it immediately at the temperature listed below.
稳定性&储存 (Stability &Storage)	36 months at -20°C to -80°C in lyophilized state. 6 months at -20°C to -80°C under sterile conditions after reconstitution. 7-10 days at 2°C to 8°C under sterile conditions after reconstitution. Please minimize freeze-thaw cycles.
复溶 (Reconstitution)	Always centrifuge tubes before opening. Do not mix by vortex or pipetting. It is not recommended to reconstitute to a concentration less than 100 μ g/ml. Dissolve the lyophilized protein in distilled water. Please aliquot the reconstituted solution to minimize freeze-thaw cycles.

电泳图 (SDS-PAGE image)

产品名称: GMP Recombinant Human TGF- β 2
产品货号: PCH90041



活性验证图 (Bioactivity image)



The ED50 for this effect is ≤ 0.3 ng/mL.

背景 (Background)

分子别名 (Alternative Names)

Transforming growth factor beta-2; TGFB2; Polyergin; G-TSF; Glioblastoma-derived T-cell suppressor factor; Cetermin; BSC-1 cell growth inhibitor; TGF-beta-2

背景介绍 (References)

Transforming growth factor beta-2 (TGF- β 2) is a secreted protein which belongs to the TGF-beta family. It is known as a cytokine that performs many cellular functions and has a vital role during embryonic development. The precursor is cleaved into mature TGF-beta-2 and LAP, which remains non-covalently linked to mature TGF-beta-2 rendering it inactive. It is an extracellular glycosylated protein. It is known to suppress the effects of interleukin dependent T-cell tumors. Defects in TGFB2 may be a cause of non-syndromic aortic disease (NSAD).

产品名称: GMP Recombinant Human TGF- β 2
产品货号: PCH90041



注意事项 (Note)

For research use only .