

产品名称: GMP Recombinant Human VEGF165
产品货号: PCH90047




概述 (Summary)


英文全称	VEGF165
纯度 (Purity)	Greater than 95% as determined by reducing SDS-PAGE
内毒素 (Endotoxin level)	≤ 10 EU/mg
蛋白构建 (Construction)	Recombinant Human VEGF165 is produced by our Mammalian cell expression system and the target gene encoding Ala27-Arg191 is expressed.
Accession #	P15692
蛋白标签 (Tag)	Tag free
表达宿主 (Host)	Mammalian cell
种属 (Species)	Human
预测分子量 (Predicted MW)	19.1 kDa
蛋白形态 (Form)	Lyophilized
储存缓冲液 (Buffer)	PBS, 5% mannitol and 0.01% Tween 80, pH7.4
运输方式 (Shipping)	The product is shipped at ambient temperature. Upon receipt, store it immediately at the temperature listed below.
稳定性&储存 (Stability &Storage)	36 months at -20°C to -80°C in lyophilized state. 6 months at -20°C to -80°C under sterile conditions after reconstitution. 7-10 days at 2°C to 8°C under sterile conditions after reconstitution. Please minimize freeze-thaw cycles.
复溶 (Reconstitution)	Always centrifuge tubes before opening. Do not mix by vortex or pipetting. It is not recommended to reconstitute to a concentration less than 100 µg/ml. Dissolve the lyophilized protein in distilled water. Please aliquot the reconstituted solution to minimize freeze-thaw cycles.

电泳图 (SDS-PAGE image)

产品名称: GMP Recombinant Human VEGF165
产品货号: PCH90047



活性验证图 (Bioactivity image)



The ED50 for this effect is 0.2-5 ng/mL

背景 (Background)

分子别名 (Alternative Names)

Vascular Endothelial Growth Factor Isoform 165; VEGF165

背景介绍 (References)

Human Vascular endothelial growth factor (VEGF), also known as VEGF-A and vascular permeability factor (VPF), belongs to the platelet-derived growth factor family of cysteine-knot growth factors. It is a potent activator in vasculogenesis and angiogenesis both physiologically and pathologically. VEGF-A has 8 differently spliced isoforms, of which VEGF165 is the most abundant one. VEGF165 is a disulfide-linked homodimer consisting of two glycosylated 165 amino acid polypeptide chains. VEGF stimulates the cellular response through binding to tyrosine kinase receptors VEGFR1 and VEGFR2 on the cell surface. It is widely accepted that VEGFR2 mediate almost all of the known cellular responses to VEGF while the function of VEGFR1 is less

产品名称: GMP Recombinant Human VEGF165
产品货号: PCH90047



defined and is thought to modulate the VEGFR2 signaling.

注意事项 (Note)

For research use only .