

概述 (Summary)

英文全称 Carbonic Anhydrase X/CA10

纯度 (Purity) Greater than 95% as determined by reducing SDS-PAGE

内毒素 (Endotoxin level) <1 EU/μg as determined by LAL test.

蛋白构建 (Construction) Recombinant Human Carbonic Anhydrase-Related Protein 10/CA10 is

produced by our E.coli expression system and the target gene encoding

Ala21-Asn300 is expressed with a 6His tag at the C-terminus.

Accession # Q9NS85

蛋白标签 (Tag)

表达宿主 (Host)E.coli种属 (Species)Human预测分子量 (Predicted MW)33 KDa

蛋白形态 (Form) Lyophilized from a 0.2 μm filtered solution of 25mM Tris-HCl, 150mM NaCl,

pH 7.5.

储存缓冲液 (Buffer)

运输方式 (Shipping) The product is shipped at ambient temperature. Upon receipt, store it

immediately at the temperature listed below.

稳定性&储存 (Stability &Storage) Store at ≤-70°C, stable for 6 months after receipt. Store at ≤-70°C, stable for 3

months under sterile conditions after opening. Please minimize freeze-thaw

cycles.

复溶 (Reconstitution) Always centrifuge tubes before opening. Do not mix by vortex or pipetting. It

Dissolve the lyophilized protein in distilled water. Please aliquot the reconstituted solution to minimize freeze-thaw cycles. Always centrifuge tubes before opening. Do not mix by vortex or pipetting. It is not recommended to

is not recommended to reconstitute to a concentration less than 100µg/ml.


reconstitute to a concentration less than 100μg/ml. Dissolve the lyophilized

protein in distilled water. Please aliquot the reconstituted solution to minimize

freeze-thaw cycles.

电泳图 (SDS-PAGE image)

Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838



背景 (Background)

分子别名 (Alternative Names)

背景介绍 (References)

Carbonic Anhydrase-Related Protein 10; Carbonic Anhydrase-Related Protein X; CA-RP X; Carebral Protein 15; CA10; hucep-15; UNQ533/PRO1076 Carbonic Anhydrase-Related Protein 10 (CA10) protein belongs to the carbonic anhydrase family of zinc metalloenzymes. It is an acatalytic member of the alpha-carbonic anhydrase subgroup. CA10 expression is detected in the adult total brain and in almost all parts of the central nervous system, but it is not expressed in the fetal brain. CA10 catalyze the reversible hydration of carbon dioxide in various biological processes, which is fundamental to many processes such as respiration, renal tubular acidification and bone resorption. CA10 is thought to play a role in the central nervous system, especially in brain development.

注意事项 (Note)

For Research Use Only, Not for Diagnostic Use.