


概述 (Summary)

英文全称	GADD45G/CR6/DDIT2
纯度 (Purity)	Greater than 95% as determined by reducing SDS-PAGE
内毒素 (Endotoxin level)	<1 EU/μg as determined by LAL test.
蛋白构建 (Construction)	Recombinant Human Growth Arrest And DNA Damage-Inducible Protein GADD45 Gamma is produced by our E.coli expression system and the target gene encoding Met1-Glu159 is expressed with a 6His tag at the N-terminus.
Accession #	O95257
蛋白标签 (Tag)	
表达宿主 (Host)	E.coli
种属 (Species)	Human
预测分子量 (Predicted MW)	19.28 KDa
蛋白形态 (Form)	Lyophilized from a 0.2 μm filtered solution of 20mM Tris-HCl, 150mM NaCl, pH 8.0.
储存缓冲液 (Buffer)	
运输方式 (Shipping)	The product is shipped at ambient temperature. Upon receipt, store it immediately at the temperature listed below.
稳定性&储存 (Stability &Storage)	Store at ≤-70°C, stable for 6 months after receipt. Store at ≤-70°C, stable for 3 months under sterile conditions after opening. Please minimize freeze-thaw cycles.
复溶 (Reconstitution)	Always centrifuge tubes before opening. Do not mix by vortex or pipetting. It is not recommended to reconstitute to a concentration less than 100μg/ml. Dissolve the lyophilized protein in distilled water. Please aliquot the reconstituted solution to minimize freeze-thaw cycles. Always centrifuge tubes before opening. Do not mix by vortex or pipetting. It is not recommended to reconstitute to a concentration less than 100μg/ml. Dissolve the lyophilized protein in distilled water. Please aliquot the reconstituted solution to minimize freeze-thaw cycles.

电泳图 (SDS-PAGE image)

Product Name: Recombinant Human GADD45G (N-6His)
Catalog #: PEH0699



背景 (Background)

分子别名 (Alternative Names)

Growth Arrest and DNA Damage-Inducible Protein GADD45 Gamma; Cytokine-Responsive Protein CR6; DNA Damage-Inducible Transcript 2 Protein; DDIT-2; GADD45G; CR6; DDIT2

背景介绍 (References)

Growth Arrest and DNA Damage-Inducible Protein GADD45 Y (GADD45G) is a nuclear protein which belongs to the GADD45 family. GADD45G is highly expressed in placenta. GADD45G interacts with various proteins whose transcript levels are increased following stressful growth arrest conditions and treatment with DNA-damaging agents. GADD45G responds to environmental stresses by mediating activation of the p38/JNK pathway via MTK1/MEKK4 kinase. GADD45G is also involved in the regulation of growth and apoptosis. GADD45G inhibits cell growth and differentiation by androgens. The mRNA expression is down-regulated in hepatocellular carcinoma.

注意事项 (Note)

For Research Use Only , Not for Diagnostic Use.