Product Name: Recombinant Human Haptoglobin (N-6His) Enkilife Catalog #: PEH0770

概述 (Summary)

英文全称 Haptoglobin

纯度 (Purity) Greater than 95% as determined by reducing SDS-PAGE

内毒素 (Endotoxin level) <1 EU/μg as determined by LAL test.

蛋白构建 (Construction) Recombinant Human Haptoglobin/Zonulin is produced by our E.coli

expression system and the target gene encoding Cys145-Asn406 is

expressed with a 6His tag at the N-terminus.

Accession # P00738

蛋白标签 (Tag)

表达宿主 (Host)E.coli种属 (Species)Human预测分子量 (Predicted MW)31.4 KDa

蛋白形态 (Form) Lyophilized from a 0.2 μm filtered solution of 20mM Tris-HCl, 150mM NaCl,

2mM EDTA, 5% Thehalose, pH 8.5.

储存缓冲液 (Buffer)

运输方式 (Shipping) The product is shipped at ambient temperature. Upon receipt, store it

immediately at the temperature listed below.

稳定性&储存 (Stability &Storage) Store at ≤-70°C, stable for 6 months after receipt. Store at ≤-70°C, stable for 3

months under sterile conditions after opening. Please minimize freeze-thaw

cycles.

复溶 (Reconstitution) Always centrifuge tubes before opening. Do not mix by vortex or pipetting. It

Dissolve the lyophilized protein in distilled water. Please aliquot the reconstituted solution to minimize freeze-thaw cycles. Always centrifuge tubes before opening. Do not mix by vortex or pipetting. It is not recommended to reconstitute to a concentration less than 100µg/ml. Dissolve the lyophilized

is not recommended to reconstitute to a concentration less than 100µg/ml.


protein in distilled water. Please aliquot the reconstituted solution to minimize

freeze-thaw cycles.

电泳图 (SDS-PAGE image)

Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838





背景 (Background)

分子別名 (Alternative Names) 背景介绍 (References) Haptoglobin; Zonulin; HP

Haptoglobin(HP) is a secreted protein which is a member of the peptidase S1 family of serine proteases. As a result of hemolysis, hemoglobin is found to accumulate in the kidney and is secreted in the urine. Haptoglobin captures, and combines with free plasma hemoglobin to allow hepatic recycling of heme iron and to prevent kidney damage. Haptoglobin also acts as an Antimicrobial; Antioxidant has antibacterial activity and plays a role in modulating many aspects of the acute phase response. Hemoglobin/haptoglobin complexes are rapidely cleared by the macrophage CD163 scavenger receptor expressed on the surface of liver Kupfer cells through an endocytic lysosomal degradation pathway. Uncleaved haptoglogin, also known as zonulin, plays a role in intestinal permeability, allowing intercellular tight junction disassembly, and controlling the equilibrium between tolerance and immunity to non-self antigens.

注意事项 (Note)

For Research Use Only, Not for Diagnostic Use.