


产品名称: Recombinant Human Cyclophilin A (C-6His)  
产品货号: PEH2420



## 概述 (Summary)

英文全称	Cyclophilin A/PPIA/Peptidyl-prolyl cis-trans isomerase A
纯度 (Purity)	Greater than 95% as determined by reducing SDS-PAGE
内毒素 (Endotoxin level)	<1 EU/μg as determined by LAL test.
蛋白构建 (Construction)	Recombinant Human Peptidyl-prolyl cis-trans isomerase A is produced by our E.coli expression system and the target gene encoding Val2-Glu165 is expressed with a 6His tag at the C-terminus.
Accession #	P62937
表达宿主 (Host)	E.coli
种属 (Species)	Human
预测分子量 (Predicted MW)	18.8 KDa
制剂 (Form)	Supplied as a 0.2 μm filtered solution of PBS, 10% Glycerol, 1mM DTT, pH 7.4.
运输方式 (Shipping)	The product is shipped on dry ice/polar packs. Upon receipt, store it immediately at the temperature listed below.
稳定性&储存 (Stability &Storage)	Store at ≤-70°C, stable for 6 months after receipt. Store at ≤-70°C, stable for 3 months under sterile conditions after opening. Please minimize freeze-thaw cycles.
复溶 (Reconstitution)	

## 电泳图 (SDS-PAGE image)



## 背景 (Background)

产品名称: Recombinant Human Cyclophilin A (C-6His)  
产品货号: PEH2420



---

**分子别名 (Alternative Names)**

Peptidyl-prolyl cis-trans isomerase A; PPIA; PPIase A; Cyclosporin A-binding protein; Rotamase A; Cyclophilin A; Cyclosporin A-binding protein; CYPA

**背景介绍 (References)**

Cyclophilin A, also known as peptidylprolyl isomerase A (PPIA), is an 18 kDa protein that catalyzes cis-trans isomerization at proline imidic peptide bonds, thereby promoting protein folding/trafficking and regulating protein activity. Cyclophilin A has multiple known functions in inflammation. Intracellularly, cyclophilin A interacts with interleukin (IL)-2 inducible T cell kinase (ITK) to tune T cell receptor signaling. Extracellularly, cyclophilin A is known to function as a leukocyte chemotactic factor. Cells secrete cyclophilin A by a vesicular secretory pathway in response to lipopolysaccharide and oxidative stress, or cyclophilin A may be released during cell death. Cyclophilin A influences inflammatory responses through its actions on immune activation and/or leukocyte trafficking.

**注意事项 (Note)**

For research use only .