Product Name: Recombinant Human VISTA (C-Fc)

Catalog #: PHH0183



概述 (Summary)

英文全称 VISTA/B7-H5/Gi24/C10orf54/PD-1H/platelet receptor Gi24

纯度 (Purity) Greater than 95% as determined by reducing SDS-PAGE

内毒素 (Endotoxin level) <1 EU/μg as determined by LAL test.

蛋白构建 (Construction) Recombinant Human Platelet Receptor Gi24 is produced by our

Mammalian expression system and the target gene encoding Phe33-

Ala194 is expressed with a human IgG1 Fc tag at the C-terminus.

Accession # AAH20568.1

蛋白标签 (Tag)

表达宿主 (Host) Human Cells 种属 (Species) Human

预测分子量 (Predicted MW) 45.3 KDa

蛋白形态 (Form) Lyophilized from a 0.2 μm filtered solution of PBS, pH 7.4.

储存缓冲液 (Buffer)

运输方式 (Shipping) The product is shipped at ambient temperature. Upon receipt, store it

immediately at the temperature listed below.

稳定性&储存 (Stability &Storage) Store at ≤-70°C, stable for 6 months after receipt. Store at ≤-70°C, stable for 3

months under sterile conditions after opening. Please minimize freeze-thaw

cycles.

复溶 (Reconstitution) Always centrifuge tubes before opening. Do not mix by vortex or pipetting. It

is not recommended to reconstitute to a concentration less than 100µg/ml. Dissolve the lyophilized protein in distilled water. Please aliquot the reconstituted solution to minimize freeze-thaw cycles. Always centrifuge tubes before opening. Do not mix by vortex or pipetting. It is not recommended to reconstitute to a concentration less than 100µg/ml. Dissolve the lyophilized

protein in distilled water. Please aliquot the reconstituted solution to minimize

freeze-thaw cycles.


电泳图 (SDS-PAGE image)

Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838

Product Name: Recombinant Human VISTA (C-Fc)

Catalog #: PHH0183





背景 (Background)

分子别名 (Alternative Names)

Platelet receptor Gi24; Stress-induced secreted protein-1; Sisp-1; C10orf54; SISP1

背景介绍 (References)

Platelet receptor Gi24 is a single-pass type I membrane protein, and located at the cell surface. The protein can be cleaved by MMP14, and stimulate MMP14-mediated MMP2 activation. It is participated in the BMP signaling pathway. It also regulates the CD4-pasitive, alpha-beta T cell proliferation, and T cell cytokine production negatively. However, the protein can regulate stem cell differentiation positively.

注意事项 (Note)

For Research Use Only, Not for Diagnostic Use.