


概述 (Summary)

英文全称	CAMK1/CaM kinase I
纯度 (Purity)	Greater than 95% as determined by reducing SDS-PAGE
内毒素 (Endotoxin level)	<1 EU/μg as determined by LAL test.
蛋白构建 (Construction)	Recombinant Human Calcium/Calmodulin-Dependent Protein Kinase Type I is produced by our Mammalian expression system and the target gene encoding Met1-Leu370 is expressed with a 6His tag at the C-terminus.
Accession #	Q14012
蛋白标签 (Tag)	
表达宿主 (Host)	Human Cells
种属 (Species)	Human
预测分子量 (Predicted MW)	42.3 KDa
蛋白形态 (Form)	Lyophilized from a 0.2 μm filtered solution of 20mM PB, 150mM NaCl, pH 7.4.
储存缓冲液 (Buffer)	
运输方式 (Shipping)	The product is shipped at ambient temperature. Upon receipt, store it immediately at the temperature listed below.
稳定性&储存 (Stability &Storage)	Store at ≤-70°C, stable for 6 months after receipt. Store at ≤-70°C, stable for 3 months under sterile conditions after opening. Please minimize freeze-thaw cycles.
复溶 (Reconstitution)	Always centrifuge tubes before opening. Do not mix by vortex or pipetting. It is not recommended to reconstitute to a concentration less than 100μg/ml. Dissolve the lyophilized protein in distilled water. Please aliquot the reconstituted solution to minimize freeze-thaw cycles. Always centrifuge tubes before opening. Do not mix by vortex or pipetting. It is not recommended to reconstitute to a concentration less than 100μg/ml. Dissolve the lyophilized protein in distilled water. Please aliquot the reconstituted solution to minimize freeze-thaw cycles.

电泳图 (SDS-PAGE image)

Product Name: Recombinant Human CAMK1 (C-6His)
Catalog #: PHH0207



背景 (Background)

分子别名 (Alternative Names)

Calcium/Calmodulin-Dependent Protein Kinase Type 1; CaM Kinase I; CaM-KI; CaM Kinase I Alpha; CaMKI-Alpha; CAMK1

背景介绍 (References)

Calcium/Calmodulin-Dependent Protein Kinase Type 1 (CAMK1) belongs to the protein kinase superfamily, CAMK Ser/Thr protein kinase family, and CaMK subfamily. CAMK1 contains one protein kinase domain and widely expressed. CAMK1 is phosphorylated by CaMKK1 and CaMKK2 on Thr-177. CAMK1 regulates transcription activators activity, cell cycle, hormone production, cell differentiation, actin filament organization, and neurite outgrowth. CAMK1 plays a role in K⁺ and ANG2-mediated regulation of the aldosterone synthase (CYP11B2) to produce aldosterone in the adrenal cortex.

注意事项 (Note)

For Research Use Only , Not for Diagnostic Use.