Catalog #: PHH0422



概述 (Summary)

英文全称 Clusterin/CLU/Apolipoprotein J/APOJ/CLI/KUB1

纯度 (Purity) Greater than 95% as determined by reducing SDS-PAGE

内毒素 (Endotoxin level) <1 EU/µg as determined by LAL test.

蛋白构建 (Construction) Recombinant Human Clusterin is produced by our Mammalian expression

system and the target gene encoding Asp23-Glu449 is expressed with a

6His tag at the C-terminus.

Accession # P10909

蛋白标签 (Tag)

表达宿主 (Host) **Human Cells**

种属 (Species) Human 预测分子量 (Predicted MW) 51.1 KDa

蛋白形态 (Form) Lyophilized from a 0.2 µm filtered solution of PBS, pH 7.4.

储存缓冲液 (Buffer)

运输方式 (Shipping) The product is shipped at ambient temperature. Upon receipt, store it

immediately at the temperature listed below.

Store at ≤-70°C, stable for 6 months after receipt. Store at ≤-70°C, stable for 3 稳定性&储存 (Stability &Storage)

months under sterile conditions after opening. Please minimize freeze-thaw

cycles.

复溶 (Reconstitution) Always centrifuge tubes before opening. Do not mix by vortex or pipetting. It

> is not recommended to reconstitute to a concentration less than 100µg/ml. Dissolve the lyophilized protein in distilled water. Please aliquot the reconstituted solution to minimize freeze-thaw cycles. Always centrifuge tubes before opening. Do not mix by vortex or pipetting. It is not recommended to reconstitute to a concentration less than 100µg/ml. Dissolve the lyophilized

> protein in distilled water. Please aliquot the reconstituted solution to minimize


freeze-thaw cycles.

电泳图 (SDS-PAGE image)

Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838

Catalog #: PHH0422





背景 (Background)

分子别名 (Alternative Names)

Clusterin; Aging-Associated Gene 4 Protein; Apolipoprotein J; Apo-J; Complement Cytolysis Inhibitor; CLI; Complement-Associated Protein SP-40;40; Ku70-Binding Protein 1; NA1/NA2; Testosterone-Repressed Prostate Message 2; TRPM-2; CLU; APOJ; CLI; KUB1

背景介绍 (References)

Clusterin is a secreted protein which belongs to the Clusterin family. Clusterin is expressed in adult testis, heart, ovary, adrenal gland, brain and liver. Clusterin has been suggested to be involved in several basic biological events such as cell death, tumor progression, and neurodegenerative disorders. In addition, Clusterin is up/ down regulated on the mRNA or protein level in many pathological and clinically relevant situations including cancer, organ regeneration, infection, Alzheimer disease, retinitis pigmentosa, myocardial infarction, renal tubular damage, autoimmunity and others.

注意事项 (Note)

For Research Use Only, Not for Diagnostic Use.