


概述 (Summary)

英文全称	Neuroigin 4/NLGN4
纯度 (Purity)	Greater than 95% as determined by reducing SDS-PAGE
内毒素 (Endotoxin level)	<1 EU/μg as determined by LAL test.
蛋白构建 (Construction)	Recombinant Human Neuroigin 4, X-Linked is produced by our Mammalian expression system and the target gene encoding Gln42-Ser676 is expressed with a 6His tag at the C-terminus.
Accession #	Q8N0W4
蛋白标签 (Tag)	
表达宿主 (Host)	Human Cells
种属 (Species)	Human
预测分子量 (Predicted MW)	72.46 KDa
蛋白形态 (Form)	Lyophilized from a 0.2 μm filtered solution of 20mM PB, 150mM NaCl, pH 7.4.
储存缓冲液 (Buffer)	
运输方式 (Shipping)	The product is shipped at ambient temperature. Upon receipt, store it immediately at the temperature listed below.
稳定性&储存 (Stability &Storage)	Store at ≤-70°C, stable for 6 months after receipt. Store at ≤-70°C, stable for 3 months under sterile conditions after opening. Please minimize freeze-thaw cycles.
复溶 (Reconstitution)	Always centrifuge tubes before opening. Do not mix by vortex or pipetting. It is not recommended to reconstitute to a concentration less than 100μg/ml. Dissolve the lyophilized protein in distilled water. Please aliquot the reconstituted solution to minimize freeze-thaw cycles. Always centrifuge tubes before opening. Do not mix by vortex or pipetting. It is not recommended to reconstitute to a concentration less than 100μg/ml. Dissolve the lyophilized protein in distilled water. Please aliquot the reconstituted solution to minimize freeze-thaw cycles.

电泳图 (SDS-PAGE image)

Product Name: Recombinant Human NLGN4X (C-6His)
Catalog #: PHH1214



背景 (Background)

分子别名 (Alternative Names)

Neurologin-4 X-Linked; Neurologin X; HNLX; NLGN4X; KIAA1260; NLGN4

背景介绍 (References)

Neurologin 4, X-Linked (NLGN4X) is a single-pass type I membrane protein that belongs to the type-B carboxylesterase/lipase family. NLGN4X is detected at higher levels in heart and at lower levels in the liver, skeletal muscle, and pancreas. NLGN4X is a putative neuronal cell surface protein involved in cell-cell-interactions. NLGN4X may act as splice site-specific ligands for β -neurexins. It has been shown that NLGN4X is involved in the formation and remodeling of central nervous system synapses. NLGN4X also interacts with discs, large (Drosophila) homolog 4 (DLG4). Defects in NLGN4X have been associated with autism and Asperger syndrome.

注意事项 (Note)

For Research Use Only , Not for Diagnostic Use.