


概述 (Summary)

英文全称	Syntaxin-7/STX7
纯度 (Purity)	Greater than 95% as determined by reducing SDS-PAGE
内毒素 (Endotoxin level)	<1 EU/μg as determined by LAL test.
蛋白构建 (Construction)	Recombinant Human Syntaxin-7 is produced by our Mammalian expression system and the target gene encoding Ser2-Leu238 is expressed with a 6His tag at the N-terminus.
Accession #	O15400
蛋白标签 (Tag)	
表达宿主 (Host)	Human Cells
种属 (Species)	Human
预测分子量 (Predicted MW)	28 KDa
蛋白形态 (Form)	Lyophilized from a 0.2 μm filtered solution of PBS, pH 7.4.
储存缓冲液 (Buffer)	
运输方式 (Shipping)	The product is shipped at ambient temperature. Upon receipt, store it immediately at the temperature listed below.
稳定性&储存 (Stability &Storage)	Store at ≤-70°C, stable for 6 months after receipt. Store at ≤-70°C, stable for 3 months under sterile conditions after opening. Please minimize freeze-thaw cycles.
复溶 (Reconstitution)	Always centrifuge tubes before opening. Do not mix by vortex or pipetting. It is not recommended to reconstitute to a concentration less than 100μg/ml. Dissolve the lyophilized protein in distilled water. Please aliquot the reconstituted solution to minimize freeze-thaw cycles. Always centrifuge tubes before opening. Do not mix by vortex or pipetting. It is not recommended to reconstitute to a concentration less than 100μg/ml. Dissolve the lyophilized protein in distilled water. Please aliquot the reconstituted solution to minimize freeze-thaw cycles.

电泳图 (SDS-PAGE image)

Product Name: Recombinant Human STX7 (N-6His)
Catalog #: PHH1597



背景 (Background)

分子别名 (Alternative Names)

Syntaxin-7; STX7; syntaxin 7

背景介绍 (References)

Syntaxin 7 (STX7) is a member of a family of membrane-trafficking proteins named as soluble N-ethylmaleimide-sensitive factor attachment protein receptors (SNAREs), and mediates the endocytic trafficking from early endosomes to late endosomes and lysosomes. Syntaxin-7 has been shown to be present in both late endosomes and lysosomes, and to be required for both homotypic late endosome fusion and heterotypic fusion with lysosomes. STX7 has been shown to interact with STX8, VPS18, Vesicle-associated membrane protein 8 and VPS11.

注意事项 (Note)

For Research Use Only , Not for Diagnostic Use.