


概述 (Summary)

英文全称	Teratocarcinoma-derived growth factor 1/TDGF1
纯度 (Purity)	Greater than 95% as determined by reducing SDS-PAGE
内毒素 (Endotoxin level)	<1 EU/μg as determined by LAL test.
蛋白构建 (Construction)	Recombinant Human Teratocarcinoma-derived Growth Factor 1 is produced by our Mammalian expression system and the target gene encoding Leu31-Ser169 is expressed with a human IgG1 Fc tag at the C-terminus.
Accession #	P13385
蛋白标签 (Tag)	
表达宿主 (Host)	Human Cells
种属 (Species)	Human
预测分子量 (Predicted MW)	42.8 KDa
蛋白形态 (Form)	Lyophilized from a 0.2 μm filtered solution of PBS, pH 7.4.
储存缓冲液 (Buffer)	
运输方式 (Shipping)	The product is shipped at ambient temperature. Upon receipt, store it immediately at the temperature listed below.
稳定性&储存 (Stability &Storage)	Store at ≤-70°C, stable for 6 months after receipt. Store at ≤-70°C, stable for 3 months under sterile conditions after opening. Please minimize freeze-thaw cycles.
复溶 (Reconstitution)	Always centrifuge tubes before opening. Do not mix by vortex or pipetting. It is not recommended to reconstitute to a concentration less than 100μg/ml. Dissolve the lyophilized protein in distilled water. Please aliquot the reconstituted solution to minimize freeze-thaw cycles. Always centrifuge tubes before opening. Do not mix by vortex or pipetting. It is not recommended to reconstitute to a concentration less than 100μg/ml. Dissolve the lyophilized protein in distilled water. Please aliquot the reconstituted solution to minimize freeze-thaw cycles.

电泳图 (SDS-PAGE image)

Product Name: Recombinant Human TDGF1 (C-Fc)
Catalog #: PHH1614



背景 (Background)

分子别名 (Alternative Names)

Teratocarcinoma-derived growth factor 1;Cripto-1 growth factor;CRGF;Epidermal growth factor-like cripto protein CR1;TDGF1;CRIPTO

背景介绍 (References)

Teratocarcinoma-derived growth factor 1(TDGF1) is a Cell membrane protein and contains 1 EGF-like domain. The protein plays an essential role in embryonic development and tumor growth. Mutations in this gene are associated with forebrain defects. It also may play a role in the determination of the epiblastic cells that subsequently give rise to the mesoderm.

注意事项 (Note)

For Research Use Only , Not for Diagnostic Use.