# Product Name: Recombinant Human THBS1 (C-10His)

Catalog #: PHH1638



### 概述 (Summary)

英文全称 Thrombospondin-1/THBS1/TSP-1

纯度 (Purity) Greater than 95% as determined by reducing SDS-PAGE

内毒素 (Endotoxin level) <1 EU/μg as determined by LAL test.

蛋白构建 (Construction) Recombinant Human Thrombospondin-1 is produced by our Mammalian

expression system and the target gene encoding Asn19-Pro1170 is

expressed with a 10His tag at the C-terminus.

Accession # P07996

蛋白标签 (Tag)

表达宿主 (Host) Human Cells

种属 (Species) Human 预测分子量 (Predicted MW) 129.2 KDa

蛋白形态 (Form) Lyophilized from a 0.2 µm filtered solution of 20mM PB, 8% Trehalose, 4%

Mannitol, 200mM NaCl, 0.02% Tween80, pH6.5.

储存缓冲液 (Buffer)

运输方式 (Shipping) The product is shipped at ambient temperature. Upon receipt, store it

immediately at the temperature listed below.

稳定性&储存 (Stability &Storage) Store at ≤-70°C, stable for 6 months after receipt. Store at ≤-70°C, stable for 3

months under sterile conditions after opening. Please minimize freeze-thaw

cycles.

复溶 (Reconstitution) Always centrifuge tubes before opening. Do not mix by vortex or pipetting. It

Dissolve the lyophilized protein in distilled water. Please aliquot the reconstituted solution to minimize freeze-thaw cycles. Always centrifuge tubes before opening. Do not mix by vortex or pipetting. It is not recommended to

is not recommended to reconstitute to a concentration less than 100µg/ml.

reconstitute to a concentration less than 100µg/ml. Dissolve the lyophilized protein in distilled water. Please aliquot the reconstituted solution to minimize

freeze-thaw cycles.


### 电泳图 (SDS-PAGE image)

Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838

## **Product Name: Recombinant Human THBS1 (C-10His)**

Catalog #: PHH1638





### 背景 (Background)

分子別名 (Alternative Names) 背景介绍 (References) Thrombospondin-1; THBS1; TSP; TSP1

Thrombospondin-1 (TSP-1) is a 150-180kDa calcium-sensitive protein that is secreted as a disulfide-linked homotrimer. TSP-1 regulates a wide range of cellular functions including their interactions with other cells and with the extracellular matrix (ECM). TSP-1 contains an N-terminal Laminin G-like globular domain, an extended central region with one vWFC domain, 3 TSP type 1domains, 2 EGF-like domains, and 8 TSP type3 domains, and a globular TSP C-terminal domain. Distinct regions of TSP-1 have been associated with binding to particular ECM or cellular molecules. TSP-1 counteracts the angiogenic, hypotensive, and antithrombotic effects of nitric oxide (NO). It binds and neutralizes VEGF, blocks VEGF R2 signaling on vascular endothelial cells(EC), and destabilizes adhesive contacts between EC. TSP-1 also plays an important role in wound repair and tissue fibrosis by binding latent TGF-beta and inducing release of the active cytokine from the latency associated peptide (LAP).

#### 注意事项 (Note)

For Research Use Only, Not for Diagnostic Use.