产品名称：Recombinant Human CD3D&CD3E Heterodimer (C-6His)
产品货号：PHH2158

概述（Summary）

英文全称	CD3D&CD3E Heterodimer
纯度（Purity）	Greater than 95% as determined by reducing SDS-PAGE
内毒素（Endotoxin level）	<1 EU/μg as determined by LAL test.
蛋白构建（Construction）	Recombinant Human CD3D&CD3E is produced by our Mammalian expression system and the target gene encoding Phe22-Ala105&Asp23-Asp126 is expressed with a 6His tag at the C-terminus.
Accession #	P04234&P07766
表达宿主（Host）	Human Cells
种属（Species）	Human
预测分子量（Predicted MW）	10.6&12.8 KDa
制剂（Form）	Lyophilized from a 0.2 μm filtered solution of PBS, pH 7.4.
运输方式（Shipping）	The product is shipped at ambient temperature. Upon receipt, store it immediately at the temperature listed below.
稳定性&储存（Stability &Storage）	Lyophilized protein should be stored at ≤ -20°C, stable for one year after receipt. Reconstituted protein solution can be stored at 2-8°C for 2-7 days. Aliquots of reconstituted samples are stable at ≤ -20°C for 3 months.
复溶（Reconstitution）	Always centrifuge tubes before opening. Do not mix by vortex or pipetting. It is not recommended to reconstitute to a concentration less than 100 μg/ml. Dissolve the lyophilized protein in distilled water. Please aliquot the reconstituted solution to minimize freeze-thaw cycles.Always centrifuge tubes before opening. Do not mix by vortex or pipetting. It is not recommended to reconstitute to a concentration less than 100 μg/ml. Dissolve the lyophilized protein in distilled water. Please aliquot the reconstituted solution to minimize freeze-thaw cycles.

电泳图（SDS-PAGE image）

产品名称：Recombinant Human CD3D&CD3E Heterodimer (C-6His)
产品货号：PHH2158



背景（Background）

分子别名（Alternative Names）	CD3E & CD3D; CD3 delta & CD3 epsilon; CD3 delta / epsilon
背景介绍（References）	T-cell surface glycoprotein CD3D & CD3E, also known as CD3 delta & CD3 epsilon chain, are single-pass type I membrane proteins. CD3D, together with CD3- epsilon(CD3E) , CD3-gamma and CD3-zeta, and the T-cell receptor alpha/beta and gamma/delta heterodimers, forms the T cell receptor-CD3 complex. T cell receptor-CD3 complex plays an important role in coupling antigen recognition to several intracellular signal-transduction pathways.

注意事项（Note）

For research use only .