Product Name: Recombinant Human IL-7RA (C-6His)

Catalog #: PHH2190



概述 (Summary)

英文全称 IL-7 R alpha/IL-7RA/CD127

纯度 (Purity) Greater than 95% as determined by reducing SDS-PAGE

内毒素 (Endotoxin level) <1 EU/μg as determined by LAL test.

蛋白构建 (Construction) Recombinant Human Interleukin-7 receptor subunit alpha is produced by

our Mammalian expression system and the target gene encoding Glu21-

Gly236 is expressed with a 6His tag at the C-terminus.

Accession # P16871

蛋白标签 (Tag)

表达宿主 (Host) Human Cells

种属 (Species) Human 预测分子量 (Predicted MW) 25.7 KDa

蛋白形态 (Form) Lyophilized from a 0.2 µm filtered solution of PBS, pH 7.4.

储存缓冲液 (Buffer)

运输方式 (Shipping) The product is shipped at ambient temperature. Upon receipt, store it

immediately at the temperature listed below.

稳定性&储存 (Stability &Storage) Store at ≤-70°C, stable for 6 months after receipt. Store at ≤-70°C, stable for 3

months under sterile conditions after opening. Please minimize freeze-thaw

cycles.

复溶 (Reconstitution) Always centrifuge tubes before opening. Do not mix by vortex or pipetting. It

is not recommended to reconstitute to a concentration less than 100µg/ml. Dissolve the lyophilized protein in distilled water. Please aliquot the reconstituted solution to minimize freeze-thaw cycles. Always centrifuge tubes before opening. Do not mix by vortex or pipetting. It is not recommended to reconstitute to a concentration less than 100µg/ml. Dissolve the lyophilized

protein in distilled water. Please aliquot the reconstituted solution to minimize

freeze-thaw cycles.


电泳图 (SDS-PAGE image)

Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838

Product Name: Recombinant Human IL-7RA (C-6His)

Catalog #: PHH2190





背景 (Background)

分子別名 (Alternative Names) 背景介绍 (References) Interleukin-7 receptor subunit alpha; IL7R; IL-7R-alpha; CD127 Interleukin 7 Receptor alpha (IL-7R α), also known as CD127, is a 75 kDa hematopoietin receptor superfamily member that plays an important role in lymphocyte differentiation, proliferation, and survival. IL-7R α is majorly expressed on T cells and their precursors, and early in B cell development as well, prior to the appearance of surface IgM. Dynamic regulation of IL-7R α is important for the generation of appropriate immune responses.

注意事项 (Note)

For Research Use Only, Not for Diagnostic Use.