


Product Name: Recombinant Human HLA-A*0201 NY-ESO-1 complex Protein (C-10His)
Catalog #: PHH2307

概述 (Summary)

英文全称	HLA-A*0201 NY-ESO-1 complex Protein
纯度 (Purity)	Greater than 95% as determined by reducing SDS-PAGE
内毒素 (Endotoxin level)	<1 EU/μg as determined by LAL test.
蛋白构建 (Construction)	Recombinant Human HLA-A*0201 NY-ESO-1 complex Protein is produced by our Mammalian expression system and the target gene encoding (SLLMWITQC)&Ile21-Met119&Gly25-Ile308 (Ala269Val) is expressed with a 10His tag at the C-terminus.
Accession #	P61769&P01892
蛋白标签 (Tag)	
表达宿主 (Host)	Human Cells
种属 (Species)	Human
预测分子量 (Predicted MW)	49.1 KDa
蛋白形态 (Form)	Lyophilized from a 0.2 μm filtered solution of 20mM PB, 500mM NaCl, pH7.4.
储存缓冲液 (Buffer)	
运输方式 (Shipping)	The product is shipped at ambient temperature. Upon receipt, store it immediately at the temperature listed below.
稳定性&储存 (Stability &Storage)	Store at ≤-70°C, stable for 6 months after receipt. Store at ≤-70°C, stable for 3 months under sterile conditions after opening. Please minimize freeze-thaw cycles.
复溶 (Reconstitution)	Always centrifuge tubes before opening. Do not mix by vortex or pipetting. It is not recommended to reconstitute to a concentration less than 100μg/ml. Dissolve the lyophilized protein in distilled water. Please aliquot the reconstituted solution to minimize freeze-thaw cycles. Always centrifuge tubes before opening. Do not mix by vortex or pipetting. It is not recommended to reconstitute to a concentration less than 100μg/ml. Dissolve the lyophilized protein in distilled water. Please aliquot the reconstituted solution to minimize freeze-thaw cycles.

电泳图 (SDS-PAGE image)

Product Name: Recombinant Human HLA-A*0201 NY-ESO-1 complex Protein (C-Term His)
Catalog #: PHH2307



背景 (Background)

分子别名 (Alternative Names)

MHC; MY-ESO-1

背景介绍 (References)

NY-ESO-1 is a well-known cancer-testis antigen (CTAs) with re-expression in numerous cancer types. Its ability to elicit spontaneous humoral and cellular immune responses, together with its restricted expression pattern, have rendered it a good candidate target for cancer immunotherapy. Optimally assembled peptide-HLA-B2M trimer translocates to the surface of antigen-presenting cells, where it interacts with TCR and CD8 coreceptor on the surface of T cells.

注意事项 (Note)

For Research Use Only , Not for Diagnostic Use.