Product Name: Recombinant Human MAdCAM-1 (C-6His) Enkilife Catalog #: PHH2341

概述 (Summary)

英文全称 MAdCAM-1

纯度 (Purity) Greater than 95% as determined by reducing SDS-PAGE

内毒素 (Endotoxin level) <1 EU/μg as determined by LAL test.

蛋白构建 (Construction) Recombinant Human MADCAM1 is produced by our Mammalian

expression system and the target gene encoding Gln19-Gln333 is

expressed with a 6His tag at the C-terminus.

Accession # Q4PKD0

蛋白标签 (Tag)

表达宿主 (Host) Human Cells

种属 (Species)Human预测分子量 (Predicted MW)34 KDa

蛋白形态 (Form) Lyophilized from a 0.2 µm filtered solution of PBS, pH 7.4.

储存缓冲液 (Buffer)

运输方式 (Shipping) The product is shipped at ambient temperature. Upon receipt, store it

immediately at the temperature listed below.

稳定性&储存 (Stability &Storage) Store at ≤-70°C, stable for 6 months after receipt. Store at ≤-70°C, stable for 3

months under sterile conditions after opening. Please minimize freeze-thaw

cycles.

复溶 (Reconstitution) Always centrifuge tubes before opening. Do not mix by vortex or pipetting. It


is not recommended to reconstitute to a concentration less than 100µg/ml. Dissolve the lyophilized protein in distilled water. Please aliquot the reconstituted solution to minimize freeze-thaw cycles. Always centrifuge tubes before opening. Do not mix by vortex or pipetting. It is not recommended to reconstitute to a concentration less than 100µg/ml. Dissolve the lyophilized

protein in distilled water. Please aliquot the reconstituted solution to minimize

freeze-thaw cycles.

电泳图 (SDS-PAGE image)

Web: https://www.enkilife.com E-mail: order@enkilife.com techsupport@enkilife.com Tel: 0086-27-87002838



背景 (Background)

分子别名 (Alternative Names)

背景介绍 (References)

hMAdCAM-1; MACAM1; MAdCAM1; mucosal addressin cell adhesion molecule 1

Mucosal addressin cell adhesion molecule-1 (MAdCAM-1) is an approximately 60 kDa type 1 transmembrane glycoprotein. It is an endothelial cell adhesion molecule that belongs to the immunoglobulin (Ig) superfamily of proteins. The Ig domains of MAdCAM-1 are critical to alpha (4) beta (7) binding, and the mucin domain has activity in L Selectin binding. MAdCAM-1 expression is up-regulated by TNF-alpha and IL 1 beta. Mucosal addressin cell adhesion molecule (MAdCAM-1) plays a pivotal role in T-lymphocyte homing to the gut. MAdCAM 1 expression is also dramatically increased in chronic inflammatory and disease states, including inflammatory bowel disease (Crohn' s disease and ulcerative colitis), sclerosing cholangitis, and diabetes, and may play an important role in these conditions.

注意事项 (Note)

For Research Use Only, Not for Diagnostic Use.